Integrated Agro-Meteorological Advisory Services

ICAR Research Complex for NEH Region, Arunachal Pradesh Centre

West Siang, Basar – 791 101

(Papum Pare)

No: 62/2014-15/Fri **Dated: 21st November, 2014**

Agro Advisory Bulletin for the period 22nd – 26th November 2014

Weather summery of the previous week	Weather forecast valid up to 26th November, 2014
Max Temp: 28.0-29.0^{0}C, Min Temp: 16.0-17.0^{0}C, Wind Speed: 4-6Kmph, Wind Direction: 64-96Degree, Rainfall: 2.0mm.	The possibility of Rainfall is 3.0mm for the next five days. Max Temp: 28.0-29.0^{0}C, Min Temp: 16.0-17.0^{0}C, Cloud Cover: sky will be mainly clear i.e. 0-3 Okta, Max RH: 86-90%, Min RH: 43-59%, Wind Speed: 3-6Kmph, Wind Direction: 78-273Degree. ***Weekly cumulative rainfall : 3.0mm***

Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
		FIELD CROPS	
Kharif Rice (Normal transplanted)	Harvesting		• Dry & properly winnow the grains for safe storage.
		FRUIT CROPS	
Lemon/other citrus fruits	Maturity/ Harvesting		• Pruning to be followed after harvest. • After pruning, application of Bordeaux paste should be done.
Pineapple	Harvesting		• After winter harvest, collection/Selection of suckers & slip to be done for next season planting.
		LIVESTOCKS	
Livestock	**Stage**	**Disease**	**Precautionary Practices to be followed**
Poultry	All stages		• Day old chick-Maintain warmth by lighting, • Provide heat by lighting 100W filament bulb @ 1 bulb per 20 newly born chicks, • Vaccination of birds as per the recommended age, • Prevent from Coccidiosis give Anti coucidid drops, • During day time provide proper ventilation, • Add multivitamin feeds (More of Vit C) • Add Amprolium to the ration, Regular check the litter materials to prevent from caking,
Pigs	New born/ All stages	Cold	• Vaccinate against swine fever, • Avoid stagnant water near the shed, • Avoid of eating human excreta, • Provide ad libitum water, • Deworming of piglets after 2 months,
Cattle	All stages	FMD	• Vaccination of animal with FMD, • Treatment – sick animals,
Dog	All stages		• Vaccinate against rabies ,
Sheep/Goat	All stages		• Vaccination & deworming at regular interval. • Vaccinate with PPR,

- **Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795226247/37**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR

Integrated Agro-Meteorological Advisory Services

ICAR Research Complex for NEH Region, Arunachal Pradesh Centre

West Siang, Basar – 791 101

(Tawang)

No: 62/2014-15/Fri **Dated: 21st November, 2014**

Agro Advisory Bulletin for the period 22nd – 26th November 2014

Weather summery of the previous week	Weather forecast valid up to 26th November, 2014
Max Temp: 7.0-8.0^{0}C, Min Temp: 3.0-4.0^{0}C, Wind Speed: 2-6Kmph, Wind Direction: 56-241Degree, Rainfall: 6.0mm.	The possibility of Rainfall is 6.0mm for the next five days. Max Temp: 6.0-8.0^{0}C, Min Temp: 3.0-4.0^{0}C, Cloud Cover: sky will be mainly clear i.e. 1-2Okta, Max RH: 84-90%, Min RH: 43-67%, Wind Speed: 4-9Kmph, Wind Direction: 42-241Degree. ***Weekly cumulative rainfall : 6.0mm***

Weather Based Agro-meteorological Advisories Bulletin

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
Apple	Harvesting		• Pruning to be followed after harvest. • Keep the basins of the plants free from weeds and remove the bushes from orchards. • Give a spray of copper oxychloride (600gms) + Urea (2Kg) in 200litres of water after harvesting of fruits.
LIVESTOCKS			
Livestock	**Stage**	**Pest/Disease**	**Precautionary Practices to be followed**
Poultry	All stages		• Day old chick-Maintain warmth by lighting, • Vaccination of birds as per the recommended age, • Provide heat by lighting 100W filament bulb @ 1 bulb per 20 newly born chicks, • Prevent from Coccidiosis give anti coucidid drops, • Provide limited ventilation, • Add multivitamin feeds (More of Vit C) • Add Amprolium to the ration, Regular check the litter materials to prevent from caking,
Pigs	New born	Cold	• Warming of pig sheds using gunny bags, straw, enclosure, • Vaccinate against swine fever, • Avoid stagnant water near the shed, • Avoid of eating human excreta, • Provide ad libitum water, • Deworming of piglets after 2 months,
Cattle	All stages	FMD	• Vaccination of animal with FMD, • Treatment – sick animals,
Dog	All stages		• Vaccinate against rabies ,
Sheep/Goat	All stages		• Vaccination & deworming at regular interval. • Vaccinate with PPR,
Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795226247 (KVK, West Siang)			

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR

Integrated Agro-Meteorological Advisory Services

ICAR Research Complex for NEH Region, Arunachal Pradesh Centre

West Siang, Basar – 791 101

(Tirap)

No: 62/2014-15/Fri **Dated: 21st November, 2014**

Agro Advisory Bulletin for the period 22nd – 26th November 2014

Weather summery of the previous week	Weather forecast valid up to 26th November, 2014
Max Temp: 27.0-28.0^{0}C, Min Temp: 16.0-17.0^{0}C, Wind Speed: 2-4Kmph, Wind Direction: 136-152Degree, Rainfall: 0.0mm.	The possibility of Rainfall is 0.0mm for the next five days. Max Temp: 28.0^{0}C, Min Temp: 16.0-17.0^{0}C, Cloud Cover: sky will be mainly clear i.e. 0-2 Okta, Max RH: 89-99%, Min RH: 34-45%, Wind Speed: 2-4Kmph, Wind Direction: 144-151Degree. ***Weekly cumulative rainfall : 0.0mm***

Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
		FIELD CROPS	
Kharif Rice (Normal transplanted)	Harvesting		• Dry & properly winnow the grains for safe storage.
		FRUIT CROPS	
Lemon/other citrus fruits	Maturity/ Harvesting		• Pruning to be followed after harvest. • After pruning, application of Bordeaux paste should be done.
Pineapple	Harvesting		• After winter harvest, collection/Selection of suckers & slip to be done for next season planting.
		LIVESTOCKS	
Livestock	**Stage**	**Disease**	**Precautionary Practices to be followed**
Poultry	All stages		• Avoid dampness, litter should be periodically changed. • Provide clean and fresh water daily, • Vaccination of birds as per the recommended age, • Prevent from Coccidiosis give anti coucidid drops, • Artificial heating through lighting of electric bulb during night time to protect the poultry birds (day old to 25 days old) from low temperature.
Pigs	New born	Cold	• Pig shed/stay should keep dry and avoid dampness during rainy days, • Avoid stagnant water near the shed, • Vaccinate against swine fever, • Avoid of eating human excreta, • Provide ad libitum water,
Cattle	All stages	FMD	• Vaccination of animal with FMD, • Treatment – sick animals,

- **Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795226247/37**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR

Integrated Agro-Meteorological Advisory Services

ICAR Research Complex for NEH Region, Arunachal Pradesh Centre
West Siang, Basar – 791 101

(Upper Siang)

No: 62/2014-15/Fri **Dated: 21st November, 2014**

Agro Advisory Bulletin for the period 22nd – 26th November 2014

Weather summery of the previous week	Weather forecast valid up to 26th November, 2014
Max Temp: 6.0-8.0^{0}C, Min Temp: (-)1.0-(-)2.0^{0}C, Wind Speed: 4-6Kmph, Wind Direction: 71-156Degree, Rainfall: 6.0mm.	The possibility of Rainfall is 9.0mm for the next five days. Max Temp: 5.0-8.0^{0}C, Min Temp: (-)1.0-(-)2.0^{0}C, Cloud Cover: sky will be partly cloudy i.e. 0-3 Okta, Max RH: 76-94%, Min RH: 23-61%, Wind Speed: 4-9Kmph, Wind Direction:98-193Degree. ***Weekly cumulative rainfall : 9.0mm***

Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
FIELD CROPS			
Kharif Rice (Normal transplanted)	Harvesting		• Dry & properly winnow the grains for safe storage.
FRUIT CROPS			
Lemon/other citrus fruits	Maturity/ Harvesting		• Pruning to be followed after harvest. • After pruning, application of Bordeaux paste should be done.
Pineapple	Harvesting		• After winter harvest, collection/Selection of suckers & slip to be done for next season planting.
LIVESTOCKS			
Livestock	**Stage**	**Disease**	**Precautionary Practices to be followed**
Poultry	All stages		• Avoid dampness, litter should be periodically changed. • Provide clean and fresh water daily, • Vaccination of birds as per the recommended age, • Prevent from Coccidiosis give anti coucidid drops, • Artificial heating through lighting of electric bulb during night time to protect the poultry birds (day old to 25 days old) from low temperature.
Pigs	New born	Cold	• Pig shed/stay should keep dry and avoid dampness during rainy days, • Avoid stagnant water near the shed, • Vaccinate against swine fever, • Avoid of eating human excreta, • Provide ad libitum water,
Cattle	All stages	FMD	• Vaccination of animal with FMD, • Treatment – sick animals,
Dog	All stages		• Vaccinate against rabies,
Rabbits	All stages	Snuffles	• Use broad spectrum antibiotic treatment like Gentamycin, anrofloxcin under proper supervision of veterinary officials

- **Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795226247/37**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR

Integrated Agro-Meteorological Advisory Services

ICAR Research Complex for NEH Region, Arunachal Pradesh Centre
West Siang, Basar – 791 101

(Upper Subansiri)

No: 62/2014-15/Fri **Dated: 21st November, 2014**

Agro Advisory Bulletin for the period 22nd – 26th November 2014

Weather summery of the previous week	Weather forecast valid up to 26th November, 2014
Max Temp: 4.0-7.0^{0}C, Min Temp: (-)1.0-(-)2.0^{0}C, Wind Speed: 3-4Kmph, Wind Direction: 206-281Degree, Rainfall: 3.0mm.	The possibility of Rainfall is 10.0mm for the next five days. Max Temp: 4.0-6.0^{0}C, Min Temp: (-)1.0-(-)2.0^{0}C, Cloud Cover: sky will be mainly cloudy i.e. 0-6 Okta, Max RH: 88-94%, Min RH: 41-81%, Wind Speed: 3-5Kmph, Wind Direction: 254-288Degree. ***Weekly cumulative rainfall : 10.0mm***

Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
FIELD CROPS			
Kharif Rice (Normal transplanted)	Harvesting		• Dry & properly winnow the grains for safe storage.
FRUIT CROPS			
Lemon/other citrus fruits	Maturity/ Harvesting		• Pruning to be followed after harvest. • After pruning, application of Bordeaux paste should be done.
Pineapple	Harvesting		• After winter harvest, collection/Selection of suckers & slip to be done for next season planting.
Apple	Harvesting		• Pruning to be followed after harvest. • Keep the basins of the plants free from weeds and remove the bushes from orchards. • Give a spray of copper oxychloride (600gms) + Urea (2Kg) in 200litres of water after harvesting of fruits.
LIVESTOCKS			
Livestock	**Stage**	**Disease**	**Precautionary Practices to be followed**
Poultry	All stages		• Avoid dampness, litter should be periodically changed. • Provide clean and fresh water daily, • Vaccination of birds as per the recommended age, • Prevent from Coccidiosis give anti coucidid drops, • Artificial heating through lighting of electric bulb during night time to protect the poultry birds (day old to 25 days old) from low temperature.
Pigs	New born	Cold	• Pig shed/stay should keep dry and avoid dampness during rainy days, • Avoid stagnant water near the shed, • Vaccinate against swine fever, • Avoid of eating human excreta, • Provide ad libitum water,
Cattle	All stages	FMD	• Vaccination of animal with FMD, • Treatment – sick animals,
Goat/Sheep	All stages	Goat pox	• Vaccinate with PPR, • Provide standard feeds, • Vaccination & deworming at regular interval.

- **Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795226247/37**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR

Integrated Agro-Meteorological Advisory Services

ICAR Research Complex for NEH Region, Arunachal Pradesh Centre

West Siang, Basar – 791 101

(West Kameng)

No: 62/2014-15/Fri **Dated: 21st November, 2014**

Agro Advisory Bulletin for the period 22nd – 26th November 2014

Weather summery of the previous week	Weather forecast valid up to 26th November, 2014
Max Temp: 14.0°C, Min Temp: 4.0-5.0°C, Wind Speed: 3-6Kmph, Wind Direction: 57-171Degree, Rainfall: 6 mm.	The possibility of Rainfall is 5.0mm for the next five days. Max Temp: 12.0-13.0 °C, Min Temp: 4.0-5.0°C, Cloud Cover: sky will be partly cloudy i.e. 1-4Okta, Max RH: 87-95%, Min RH: 46-68%, Wind Speed: 3-8Kmph, Wind Direction: 53-197Degree.

Weekly cumulative rainfall : 5.0mm

Weather Based Agro-meteorological Advisories Bulletin

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
Apple	Harvesting		• Pruning to be followed after harvest. • Keep the basins of the plants free from weeds and remove the bushes from orchards. • Give a spray of copper oxychloride (600gms) + Urea (2Kg) in 200litres of water after harvesting of fruits.
LIVESTOCKS			
Livestock	**Stage**	**Pest/Disease**	**Precautionary Practices to be followed**
Poultry	All stages		• Day old chick-Maintain warmth by lighting, • Vaccination of birds as per the recommended age, • Provide heat by lighting 100W filament bulb @ 1 bulb per 20 newly born chicks, • Prevent from Coccidiosis give anti coucidid drops, • Provide limited ventilation, • Add multivitamin feeds (More of Vit C)
Pigs	New born	Cold	• Vaccinate against swine fever, • Avoid stagnant water near the shed, • Avoid of eating human excreta, • Provide ad libitum water, • Deworming of piglets after 2 months,
Cattle	All stages	FMD	• Vaccination of animal with FMD, • Treatment – sick animals,
Dog	All stages		• Vaccinate against rabies,
Sheep/Goat	All stages		• Vaccination & deworming at regular interval. • Vaccinate with PPR,
Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795226247 (KVK, West Siang)			

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR

Integrated Agro-Meteorological Advisory Services

ICAR Research Complex for NEH Region, Arunachal Pradesh Centre
West Siang, Basar – 791 101

(West Siang)

No: 62/2014-15/Fri

Dated: 21st November, 2014

Agro Advisory Bulletin for the period 22nd – 26th November 2014

Weather summery of the previous week	Weather forecast valid up to 26th November, 2014
Rainfall: 0.0mm, Max and min temp varied between 23.0-24.0°C and 10.0-12.0°C respectively. The sky was partly cloudy *i.e. 1-4* Okta; Wind speed: 4-5kmph, Wind direction: 132-285degree, Max RH: 89-91% and Min RH: 48-57%.	The possibility of Rainfall is 9.0mm for next five days. Max and min temp will be varied between 23.0-24.0°C and 10.0-12.0°C respectively. The sky will be mainly cloudy *i.e.* 0-5 Okta; Relative humidity will be varied between 87-94% and 36-66% in the morning and afternoon respectively. The wind will be 3-6kmph. The wind will blow from variable direction at 159-282degree. ***Weekly cumulative rainfall: 9.0mm***

Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
		FIELD CROPS	
Kharif Rice (Normal transplanted)	Harvesting		• Dry & properly winnow the grains for safe storage.
		FRUIT CROPS	
Lemon/other citrus fruits	Maturity/ Harvesting		• Pruning to be followed after harvest. • After pruning, application of Bordeaux paste should be done.
Pineapple	Harvesting		• After winter harvest, collection/Selection of suckers & slip to be done for next season planting.
Apple	Harvesting		• Pruning to be followed after harvest. • Keep the basins of the plants free from weeds and remove the bushes from orchards. • Give a spray of copper oxychloride (600gms) + Urea (2Kg) in 200litres of water after harvesting of fruits.
		LIVESTOCKS	
Livestock	**Stage**	**Disease**	**Precautionary Practices to be followed**
Poultry	All stages		• Avoid dampness, litter should be periodically changed, • Provide clean and fresh water daily, • Vaccination of birds as per the recommended age, • Prevent from Coccidiosis give anti coucidid drops, • Artificial heating through lighting of electric bulb during night time to protect the poultry birds (day old to 25 days old) from low temperature.
Pigs	New born	Cold	• Pig shed/stay should keep dry and avoid dampness during rainy days, • Avoid stagnant water near the shed, • Vaccinate against swine fever, • Avoid of eating human excreta, • Provide ad libitum water,
Cattle	All stages	FMD	• Vaccination of animal with FMD, • Treatment – sick animals,
Rabbits	All stages	Snuffles	• Use broad spectrum antibiotic treatment like Gentamycin, anrofloxcin under proper supervision of veterinary officials
Goat/Sheep	All stages	Goat pox	• Vaccinate with PPR, • Provide standard feeds, • Vaccination & deworming at regular interval.
Dog	All stages		• Vaccinate against rabies,

- **Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795226247/37**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agro Meteorological Field Unit
ICAR, BASAR

Integrated Agro-Meteorological Advisory Services

ICAR Research Complex for NEH Region, Arunachal Pradesh Centre
West Siang, Basar – 791 101

(Anjaw)

No: 62/2014-15/Fri **Dated: 21st November, 2014**

Agro Advisory Bulletin for the period 22nd – 26th November 2014

Weather summery of the previous week	Weather forecast valid up to 26th November, 2014
Max Temp: 7.0-8.0°C, Min Temp: -5.0°C, Wind Speed: 6-10Kmph, Wind Direction: 94-100Degree, Rainfall: 0.0mm.	The possibility of Rainfall is 0.0mm for the next five days. Max Temp: 6.0-8.0°C, Min Temp: (-)2.0- (-)3.0°C, Cloud Cover: sky will be mainly clear i.e. 1-3Okta, Max RH: 74-88%, Min RH: 29-52%, Wind Speed: 6-10Kmph, Wind Direction: 43-95Degree. ***Weekly cumulative rainfall : 0.0mm***

Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
		FIELD CROPS	
Kharif Rice (Normal transplanted)	Harvesting		• Dry & properly winnow the grains for safe storage.
		FRUIT CROPS	
Lemon/other citrus fruits	Maturity/ Harvesting		• Pruning to be followed after harvest. • After pruning, application of Bordeaux paste should be done.
Pineapple	Harvesting		• After winter harvest, collection/Selection of suckers & slip to be done for next season planting.
		LIVESTOCKS	
Livestock	**Stage**	**Disease**	**Precautionary Practices to be followed**
Poultry	All stages		• Vaccination of birds as per the recommended age, • Avoid dampness, litter should be periodically changed. • Provide clean and fresh water daily. • Artificial heating through lighting of electric bulb during night time to protect the poultry birds (day old to 25 days old) from low temperature.
Pigs	New born	Cold	• Pig shed/stay should keep dry and avoid dampness during rainy days, • Vaccinate against swine fever, • Avoid of eating human excreta, • Provide ad libitum water, • Avoid stagnant water near the shed,
Cattle	All stages	FMD	• Vaccination of animal with FMD, • Treatment – sick animals, • Vaccination & deworming at regular interval,

- **Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795226247/37**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit
ICAR, BASAR**

Integrated Agro-Meteorological Advisory Services

ICAR Research Complex for NEH Region, Arunachal Pradesh Centre

West Siang, Basar – 791 101

(Changlang)

No: 62/2014-15/Fri **Dated: 21st November, 2014**

Agro Advisory Bulletin for the period 22nd – 26th November 2014

Weather summery of the previous week	Weather forecast valid up to 26th November, 2014
Max Temp: 24.0^{0}C, Min Temp: 10.0^{0}C, Wind Speed: 6-7Kmph, Wind Direction: 86-97Degree, Rainfall: 0.0mm.	The possibility of Rainfall is 0.0mm for the next five days. Max Temp: 24.0^{0}C, Min Temp: 10.0^{0}C, Cloud Cover: sky will be mainly clear i.e. 0-2 Okta, Max RH: 79-87%, Min RH: 30-45%, Wind Speed: 6-7Kmph, Wind Direction: 90-106Degree. ***Weekly cumulative rainfall : 0.0mm***

Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
FIELD CROPS			
Kharif Rice (Normal transplanted)	Harvesting		• Dry & properly winnow the grains for safe storage.
FRUIT CROPS			
Lemon/other citrus fruits	Maturity/ Harvesting		• Pruning to be followed after harvest. • After pruning, application of Bordeaux paste should be done.
Pineapple	Harvesting		• After winter harvest, collection/Selection of suckers & slip to be done for next season planting.
LIVESTOCKS			
Livestock	**Stage**	**Disease**	**Precautionary Practices to be followed**
Poultry	All stages		• Vaccination of birds as per the recommended age, • Prevent from Coccidiosis give anti coucidid drops, • Provide heat by lighting 100W filament bulb @ 1 bulb per 20 newly born chicks, • During day time provide proper ventilation, • Add multivitamin feeds (More of Vit C) • Add Amprolium to the ration, Regular check the litter materials to prevent from caking,
Pigs	New born/ All stages	Cold	• Vaccinate against swine fever, • Avoid of eating human excreta, • Provide ad libitum water, • Avoid stagnant water near the shed,
Cattle	All stages	FMD	• Vaccination of animal with FMD, • Treatment – sick animals,
Dog	All stages		• Vaccinate against rabies,
Sheep/Goat	All stages		• Vaccination & deworming at regular interval. • Vaccinate with PPR,

- **Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795226247/37**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department

Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR

Integrated Agro-Meteorological Advisory Services

ICAR Research Complex for NEH Region, Arunachal Pradesh Centre
West Siang, Basar – 791 101

(Upper-Dibang- Valley)

No: 62/2014-15/Fri **Dated: 21st November, 2014**

Agro Advisory Bulletin for the period 22nd – 26th November 2014

Weather summery of the previous week	Weather forecast valid up to 26th November, 2014
Max Temp: 8.0-9.0^{0}C, Min Temp: -1.0^{0}C, Wind Speed: 5-6Kmph, Wind Direction: 81-113Degree, Rainfall: 0.0mm.	The possibility of Rainfall is 3.0mm for the next five days. Max Temp: 5.0-7.0^{0}C, Min Temp: (-)1.0- (-)2.0^{0}C, Cloud Cover: sky will be partly cloudy i.e. 0-3 Okta, Max RH: 77-88%, Min RH: 25-53%, Wind Speed: 5-8Kmph, Wind Direction: 69-122Degree. ***Weekly cumulative rainfall : 3.0mm***

Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
FIELD CROPS			
Kharif Rice (Normal transplanted)	Harvesting		• Dry & properly winnow the grains for safe storage.
FRUIT CROPS			
Lemon/other citrus fruits	Maturity/ Harvesting		• Pruning to be followed after harvest. • After pruning, application of Bordeaux paste should be done.
Apple	Harvesting		• Pruning to be followed after harvest. • Keep the basins of the plants free from weeds and remove the bushes from orchards. • Give a spray of copper oxychloride (600gms) + Urea (2Kg) in 200litres of water after harvesting of fruits.
LIVESTOCKS			
Livestock	**Stage**	**Disease**	**Precautionary Practices to be followed**
Poultry	All stages		• Avoid dampness, litter should be periodically changed. • Provide clean and fresh water daily. • Artificial heating through lighting of electric bulb during night time to protect the poultry birds (day old to 25 days old) from low temperature. • Vaccination of birds as per the recommended age,
Pigs	New born	Cold	• Pig shed/stay should keep dry and avoid dampness during rainy days, • Vaccinate against swine fever, • Avoid of eating human excreta, • Provide ad libitum water, • Avoid stagnant water near the shed,
Cattle	All stages	FMD	• Vaccination of animal with FMD, • Treatment – sick animals,
Goat/Sheep	All stages	Goat pox	• Vaccinate with PPR, • Provide standard feeds,

- **Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795226247/37**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR

Integrated Agro-Meteorological Advisory Services

ICAR Research Complex for NEH Region, Arunachal Pradesh Centre
West Siang, Basar – 791 101

(East Kameng)

No: 62/2014-15/Fri **Dated: 21st November, 2014**

Agro Advisory Bulletin for the period 22nd – 26th November 2014

Weather summery of the previous week	Weather forecast valid up to 26th November, 2014
Max Temp: 9.0-10.0^{0}C, Min Temp: 1.0-2.0^{0}C, Wind Speed: 4-6Kmph, Wind Direction: 61-129Degree, Rainfall: 6 mm.	The possibility of Rainfall is 5.0mm for the next five days. Max Temp: 7.0-9.0^{0}C, Min Temp: (-)1.0-(-)2.0^{0}C, Cloud Cover: sky will be partly cloudy i.e. 1-3 Okta, Max RH: 86-95%, Min RH: 44-64%, Wind Speed: 2-7Kmph, Wind Direction: 98-132Degree. ***Weekly cumulative rainfall : 5.0mm***

Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
FIELD CROPS			
Kharif Rice (Normal transplanted)	Harvesting		• Dry & properly winnow the grains for safe storage.
FRUIT CROPS			
Lemon/other citrus fruits	Maturity/ Harvesting		• Pruning to be followed after harvest. • After pruning, application of Bordeaux paste should be done.
Pineapple	Harvesting		• After winter harvest, collection/Selection of suckers & slip to be done for next season planting.
LIVESTOCKS			
Livestock	**Stage**	**Disease**	**Precautionary Practices to be followed**
Poultry	All stages		• Avoid dampness, litter should be periodically changed. • Provide clean and fresh water daily. • Vaccination of birds as per the recommended age, • Artificial heating through lighting of electric bulb during night time to protect the poultry birds (day old to 25 days old) from low temperature.
Pigs	New born	Cold	• Pig shed/stay should keep dry and avoid dampness during rainy days, • Avoid stagnant water near the shed, • Vaccinate against swine fever, • Avoid of eating human excreta, • Provide ad libitum water,
Cattle	All stages	FMD	• Vaccination of animal with FMD, • Treatment – sick animals,

- **Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795226247/37**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR

Integrated Agro-Meteorological Advisory Services

ICAR Research Complex for NEH Region, Arunachal Pradesh Centre
West Siang, Basar – 791 101

(East Siang)

No: 62/2014-15/Fri **Dated: 21st November, 2014**

Agro Advisory Bulletin for the period 22nd – 26th November 2014

Weather summery of the previous week	Weather forecast valid up to 26th November, 2014
Max Temp: 27.0-29.0^{0}C, Min Temp: 17.0-19.0^{0}C, Wind Speed: 6Kmph, Wind Direction: 14-287Degree, Rainfall: 0.0mm.	The possibility of Rainfall is 4.0mm for the next five days. Max Temp: 29.0^{0}C, Min Temp: 17.0-18.0^{0}C, Cloud Cover: sky will be partly clear i.e. 0-2 Okta, Max RH: 81-91%, Min RH: 34-47%, Wind Speed: 5-7Kmph, Wind Direction: 17-296Degree. ***Weekly cumulative rainfall : 4.0mm***

Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
FIELD CROPS			
Kharif Rice (Normal transplanted)	Harvesting		• Dry & properly winnow the grains for safe storage.
FRUIT CROPS			
Lemon/other citrus fruits	Maturity/ Harvesting		• Pruning to be followed after harvest. • After pruning, application of Bordeaux paste should be done.
Pineapple	Harvesting		• After winter harvest, collection/Selection of suckers & slip to be done for next season planting.
LIVESTOCKS			
Livestock	**Stage**	**Disease**	**Precautionary Practices to be followed**
Poultry	All stages		• Avoid dampness, litter should be periodically changed. • Provide clean and fresh water daily, • Vaccination of birds as per the recommended age, • Artificial heating through lighting of electric bulb during night time to protect the poultry birds (day old to 25 days old) from low temperature.
Pigs	New born	Cold	• Pig shed/stay should keep dry and avoid dampness during rainy days, • Vaccinate against swine fever, • Avoid of eating human excreta, • Provide ad libitum water, • Avoid stagnant water near the shed,
Cattle	All stages	FMD	• Vaccination of animal with FMD, • Treatment – sick animals,
Goat/Sheep	All stages	Goat pox	• Vaccinate with PPR, • Provide standard feeds, • Vaccination & deworming at regular interval,

- **Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795226247/37**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR

Integrated Agro-Meteorological Advisory Services

ICAR Research Complex for NEH Region, Arunachal Pradesh Centre

West Siang, Basar – 791 101

(Kurung-Kumey)

No: 62/2014-15/Fri **Dated: 21st November, 2014**

Agro Advisory Bulletin for the period 22nd – 26th November 2014

Weather summery of the previous week	Weather forecast valid up to 26th November, 2014
Max Temp: 2.0-3.0^{0}C, Min Temp: (-)5.0-(-)6.0^{0}C, Wind Speed: 3-5Kmph, Wind Direction: 115-260Degree, Rainfall: 0.0mm.	The possibility of Rainfall is 0.0mm for the next five days. Max Temp: 3.0-5.0^{0}C, Min Temp: (-)3.0^{0}C, Cloud Cover: sky will be mainly cloudy i.e. 1-5 Okta, Max RH: 85-93%, Min RH: 39-75%, Wind Speed: 3-7Kmph, Wind Direction: 195-302Degree. ***Weekly cumulative rainfall : 0.0mm***

Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
FIELD CROPS			
Kharif Rice (Normal transplanted)	Harvesting		• Dry & properly winnow the grains for safe storage.
FRUIT CROPS			
Lemon/other citrus fruits	Maturity/ Harvesting		• Pruning to be followed after harvest. • After pruning, application of Bordeaux paste should be done.
Pineapple	Harvesting		• After winter harvest, collection/Selection of suckers & slip to be done for next season planting.
LIVESTOCKS			
Livestock	**Stage**	**Disease**	**Precautionary Practices to be followed**
Poultry	All stages		• Avoid dampness, litter should be periodically changed. • Provide clean and fresh water daily, • Vaccination of birds as per the recommended age, • Artificial heating through lighting of electric bulb during night time to protect the poultry birds (day old to 25 days old) from low temperature.
Pigs	New born	Cold	• Pig shed/stay should keep dry and avoid dampness during rainy days, • Vaccinate against swine fever, • Avoid of eating human excreta, • Provide ad libitum water, • Avoid stagnant water near the shed,
Cattle	All stages	FMD	• Vaccination of animal with FMD, • Treatment – sick animals,
Goat/Sheep	All stages	Goat pox	• Vaccinate with PPR, • Provide standard feeds, • Vaccination & deworming at regular interval,

- **Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795226247/37**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37,-96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR

Integrated Agro-Meteorological Advisory Services

ICAR Research Complex for NEH Region, Arunachal Pradesh Centre

West Siang, Basar – 791 101

(Lohit)

No: 62/2014-15/Fri **Dated: 21st November, 2014**

Agro Advisory Bulletin for the period 22nd – 26th November 2014

Weather summery of the previous week	Weather forecast valid up to 26th November, 2014
Max Temp: 8.0-10.0^{0}C, Min Temp: 1.0-2.0^{0}C, Wind Speed: 6-9Kmph, Wind Direction: 67-76Degree, Rainfall: 0.0mm.	The possibility of Rainfall is 0.0mm for the next five days. Max Temp: 10.0^{0}C, Min Temp: 1.0-2.0^{0}C, Cloud Cover: sky will be partly clear i.e. 0-2 Okta, Max RH: 78-89%, Min RH: 31-49%, Wind Speed: 6-9Kmph, Wind Direction: 63-75Degree. ***Weekly cumulative rainfall : 0.0mm***

Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
		FIELD CROPS	
Kharif Rice (Normal transplanted)	Harvesting		• Dry & properly winnow the grains for safe storage.
		FRUIT CROPS	
Lemon/other citrus fruits	Maturity/ Harvesting		• Pruning to be followed after harvest. • After pruning, application of Bordeaux paste should be done.
Pineapple	Harvesting		• After winter harvest, collection/Selection of suckers & slip to be done for next season planting.
		LIVESTOCKS	
Livestock	**Stage**	**Disease**	**Precautionary Practices to be followed**
Poultry	All stages		• Avoid dampness, litter should be periodically changed. • Provide clean and fresh water daily, • Vaccination of birds as per the recommended age, • Artificial heating through lighting of electric bulb during night time to protect the poultry birds (day old to 25 days old) from low temperature.
Pigs	New born	Cold	• Pig shed/stay should keep dry and avoid dampness during rainy days, • Avoid stagnant water near the shed, • Vaccinate against swine fever, • Avoid of eating human excreta, • Provide ad libitum water,
Cattle	All stages	FMD	• Vaccination of animal with FMD, • Treatment – sick animals,

- **Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795226247/37**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax).

Agrometeorological Field Unit
ICAR, BASAR

Integrated Agro-Meteorological Advisory Services

ICAR Research Complex for NEH Region, Arunachal Pradesh Centre

West Siang, Basar – 791 101

(Lower-Dibang- Valley)

No: 62/2014-15/Fri **Dated: 21st November, 2014**

Agro Advisory Bulletin for the period 22nd – 26th November 2014

Weather summery of the previous week	Weather forecast valid up to 26th November, 2014
Max Temp: 12.0-14.0^{0}C, Min Temp: (-)1.0-0.0^{0}C, Wind Speed: 6-8Kmph, Wind Direction: 59-103Degree, Rainfall: 0.0mm.	The possibility of Rainfall is 0.0mm for the next five days. Max Temp: 12.0-13.0^{0}C, Min Temp: 0.0-(-)2.0^{0}C, Cloud Cover: sky will be mainly clear i.e. 0-2 Okta, Max RH: 68-80%, Min RH: 28-46%, Wind Speed: 7-9Kmph, Wind Direction: 63-108Degree. ***Weekly cumulative rainfall : 0.0mm***

Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
		FIELD CROPS	
Kharif Rice (Normal transplanted)	Harvesting		• Dry & properly winnow the grains for safe storage.
		FRUIT CROPS	
Lemon/other citrus fruits	Maturity/ Harvesting		• Pruning to be followed after harvest. • After pruning, application of Bordeaux paste should be done.
Pineapple	Harvesting		• After winter harvest, collection/Selection of suckers & slip to be done for next season planting.
Apple	Harvesting		• Pruning to be followed after harvest. • Keep the basins of the plants free from weeds and remove the bushes from orchards. • Give a spray of copper oxychloride (600gms) + Urea (2Kg) in 200litres of water after harvesting of fruits.
		LIVESTOCKS	
Livestock	**Stage**	**Disease**	**Precautionary Practices to be followed**
Poultry	All stages		• Avoid dampness, litter should be periodically changed, • Provide clean and fresh water daily, • Vaccination of birds as per the recommended age, • Artificial heating through lighting of electric bulb during night time to protect the poultry birds (day old to 25 days old) from low temperature,
Pigs	New born	Cold	• Pig shed/stay should keep dry and avoid dampness during rainy days, • Avoid stagnant water near the shed, • Vaccinate against swine fever, • Avoid of eating human excreta, • Provide ad libitum water,
Cattle	All stages	FMD	• Vaccination of animal with FMD, • Treatment – sick animals,
Goat/Sheep	All stages	Goat pox	• Vaccinate with PPR, • Provide standard feeds, • Vaccination & deworming at regular interval,

- **Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795226247/37**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37, -96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR

Integrated Agro-Meteorological Advisory Services

ICAR Research Complex for NEH Region, Arunachal Pradesh Centre
West Siang, Basar – 791 101

(Lower Subansiri)

No: 62/2014-15/Fri **Dated: 21st November, 2014**

Agro Advisory Bulletin for the period 22nd – 26th November 2014

Weather summery of the previous week	Weather forecast valid up to 26th November, 2014
Max Temp: 3.0-5.0^{0}C, Min Temp: -1.0^{0}C, Wind Speed: 3-5Kmph, Wind Direction: 122-244Degree, Rainfall: 2.0mm.	The possibility of Rainfall is 6.0mm for the next five days. Max Temp: 3.0-5.0^{0}C, Min Temp: -2.0^{0}C, Cloud Cover: sky will be mainly cloudy i.e. 1-5Okta, Max RH: 91-95%, Min RH: 45-77%, Wind Speed: 2-6Kmph, Wind Direction: 197-270Degree. ***Weekly cumulative rainfall : 6.0mm***

Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
FIELD CROPS			
Kharif Rice (Normal transplanted)	Harvesting		• Dry & properly winnow the grains for safe storage.
FRUIT CROPS			
Lemon/other citrus fruits	Maturity/ Harvesting		• Pruning to be followed after harvest. • After pruning, application of Bordeaux paste should be done.
Pineapple	Harvesting		• After winter harvest, collection/Selection of suckers & slip to be done for next season planting.
Apple	Harvesting		• Pruning to be followed after harvest. • Keep the basins of the plants free from weeds and remove the bushes from orchards. • Give a spray of copper oxychloride (600gms) + Urea (2Kg) in 200litres of water after harvesting of fruits.
LIVESTOCKS			
Livestock	**Stage**	**Disease**	**Precautionary Practices to be followed**
Poultry	All stages		• Avoid dampness, litter should be periodically changed, • Provide clean and fresh water daily, • Vaccination of birds as per the recommended age, • Artificial heating through lighting of electric bulb during night time to protect the poultry birds (day old to 25 days old) from low temperature.
Pigs	New born	Cold	• Pig shed/stay should keep dry and avoid dampness during rainy days, • Avoid stagnant water near the shed, • Vaccinate against swine fever, • Avoid of eating human excreta, • Provide ad libitum water,
Cattle	All stages	FMD	• Vaccination of animal with FMD, • Treatment – sick animals,
Goat/Sheep	All stages	Goat pox	• Vaccinate with PPR, • Provide standard feeds, • Vaccination & deworming at regular interval,

- **Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795226247/37**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department
Contact: - IAAS.BASAR@gmail.com, Phone Number: - 03795-226247/37,-96 (Fax)

Agrometeorological Field Unit
ICAR, BASAR