



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 7/2015-16/Tue**

**Dated: 22<sup>nd</sup> January, 2016**

**Agro Advisory Bulletin: Lohit, District  
(Period: 22<sup>nd</sup> to 26<sup>th</sup> January, 2016)**

<b>Weather summary of the previous week</b>	<b>Weather forecast valid up to 26<sup>th</sup> January, 2016</b>
Rainfall = 0.0 mm.	Moderately cloudy sky with possibility no rain. Max Temp=16°C and Min Temp=5°C, RH=21-74%, Wind Speed=3-6 kmph, Wind Direction= E

## Weather Based Agro-meteorological Advisories Bulletin

<b>• Obtain seeds from reputed/certified/reliable source,</b>			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Tomato	Vegetative		<ul style="list-style-type: none"> <li>Cover the crop with polyethene/cloths to protect from frost</li> <li>Place 2-3 inch crop residue mulch around the base of the plant</li> </ul>
Pea/Cauliflower/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none"> <li>On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower, pea &amp; other vegetables is advocated</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/Harvesting		<ul style="list-style-type: none"> <li>If harvesting is over, immediate removal of dry and diseased branches of the tree to maintain plant health recommended</li> <li>Store the harvest in dry places</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>All animals should be tethered in a covered shelter</li> <li>Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Deworm at regular interval</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>Provide sufficient bedding materials to keep them warm</li> <li>Provide adequate clean drinking water+electrolyte</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Provide anti-coccidial drugs as preventive dose</li> <li>Remove wet litter</li> <li>Artificial heating</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 7/2015-16/Fri**

**Dated: 22<sup>nd</sup> January, 2016**

**Agro Advisory Bulletin: Lower Dibang Valley, District  
(Period: 22<sup>nd</sup> to 26<sup>th</sup> January, 2016)**

<b>Weather summary of the previous week</b>	<b>Weather forecast valid up to 26<sup>th</sup> January, 2016</b>
Rainfall = 2.2 mm.	Partial cloud cover with no possibility of rain. Max Temp=15°C and Min Temp=3°C, RH=24-63%, Wind Speed=6-7 kmph, Wind Direction= E

## Weather Based Agro-meteorological Advisories Bulletin

<b>• Obtain seeds from reputed/certified/reliable source,</b>			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Pea/Cauliflower/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none"> <li>On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower./pea &amp; other vegetables is advocated</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/Harvesting		<ul style="list-style-type: none"> <li>If harvesting is over, immediate removal of dry and diseased branches of the tree to maintain plant health recommended</li> <li>Store the harvest in dry places with rice straw cushioning</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>All animals should be tethered in a covered shelter</li> <li>Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Regular deworming of animals</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>Provide sufficient bedding materials to keep them warm</li> <li>Provide adequate clean drinking water+electrolyte</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Provide anti-coccidial drugs as preventive measure</li> <li>Remove wet litter</li> </ul>
Fishery			<ul style="list-style-type: none"> <li>Check acidity of water at 15 days interval to know the quality of water in the culture tank.</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 7/2015-16/Fri**

**Dated: 22<sup>nd</sup> January, 2016**

**Agro Advisory Bulletin: Lower Subansiri, District  
(Period: 22<sup>nd</sup> to 26<sup>th</sup> January, 2016)**

<b>Weather summary of the previous week</b>	<b>Weather forecast valid up to 26<sup>th</sup> January, 2016</b>
Rainfall = 0.0 mm.	Partial cloud with no possibility of rain. Max Temp=13°C and Min Temp = 1°C, RH=41-85%, Wind Speed=3-5 kmph, Wind Direction= W

## Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Mustard	Vegetative		<ul style="list-style-type: none"> <li>• Cover the crop during night to protect against frost.</li> </ul>
Pea/Cauliflower/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none"> <li>• On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower, pea &amp; other vegetables is advocated</li> </ul>
Tomato	Vegetative		<ul style="list-style-type: none"> <li>• Cover the crop with polyethene/cloths to protect from frost</li> <li>• Place 2-3 inch crop residue mulch around the base of the plant</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/Harvesting		<ul style="list-style-type: none"> <li>• If harvesting is over, immediate removal of dry and diseased branches of the tree to maintain plant health is recommended</li> <li>• Store in dry places</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>• Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>• All animals should be tethered in a covered shelter</li> <li>• Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Deworming at regular interval</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>• Provide sufficient bedding materials to keep them warm</li> <li>• Provide adequate clean drinking water+electrolyte</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Provide anti-coccidial drugs as preventive dose</li> <li>• Remove wet litter</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 7/2015-16/Fri**

**Dated: 22<sup>nd</sup> January, 2016**

**Agro Advisory Bulletin: Papum Pare, District  
(Period: 22<sup>nd</sup> to 26<sup>th</sup> January, 2016)**

<b>Weather summary of the previous week</b>	<b>Weather forecast valid up to 26<sup>th</sup> January, 2016</b>
Rainfall = 3.3 mm. Max Temp:25.3°C and Min. Temp:10.2°C, RH: 67-91%	Moderately cloudy weather with possibility of no rain is forecasted. Max Temp=24°C and Min Temp=12°C, RH=27-81%, Wind Speed=4-5 kmph, Wind Direction= E

## Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Tomato	Vegetative		<ul style="list-style-type: none"> <li>• Cover the crop with polyethene/cloths to protect from frost</li> <li>• Place 2-3 inch crop residue mulch around the base of the plant</li> </ul>
Pea/Cauliflower/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none"> <li>• On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower,pea &amp; other vegetables is advocated</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/Harvesting		<ul style="list-style-type: none"> <li>• If harvesting is over, immediate removal of dry and diseased branches of the tree to maintain plant health is recommended</li> <li>• Store the harvest in dry places with proper cushioning with rice straw or other materials.</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>• Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>• All animals should be tethered in a covered shelter</li> <li>• Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Deworming at regular interval</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>• Provide sufficient bedding materials to keep them warm</li> <li>• Provide adequate clean drinking water+electrolyte</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Provide anti-coccidial drugs as preventive dose</li> <li>• Remove wet litter</li> </ul>
Fishery			<ul style="list-style-type: none"> <li>• Check acidity of water at 15 days interval to know the quality of water in the culture tank.</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 7/2015-16/Fri**

**Dated: 22<sup>nd</sup> January, 2016**

**Agro Advisory Bulletin: Tawang, District  
(Period: 22<sup>nd</sup> to 26<sup>th</sup> January, 2016)**

<b>Weather summary of the previous week</b>	<b>Weather forecast valid up to 26<sup>th</sup> January, 2016</b>
Rainfall = 9.0 mm.	Partial cloud cover with possibility of very light rain during initial days. Max Temp=13°C and Min Temp=2°C, RH=42-87 %, Wind Speed=4-6 kmph, Wind Direction= ENE

**Weather Based Agro-meteorological Advisories Bulletin**

<b>• Obtain seeds from reputed/certified/reliable source,</b>			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Tomato	Vegetative		<ul style="list-style-type: none"> <li>Cover the crop with polyethene/cloths to protect from frost</li> <li>Place 2-3 inch crop residue mulch around the base of the plant</li> </ul>
Pea, Cauliflower, Cabbage etc	Vegetative		<ul style="list-style-type: none"> <li>Spray Azadirachtin 0.15% EC 2@ 6ml/lit against leaf eating insects in cabbage/cauliflower,/pea &amp; other vegetables</li> </ul>
<b>FRUIT CROPS</b>			
Temperate fruits (Apple, peach, pear, plum, kiwi etc.)	Dormant stage		<ul style="list-style-type: none"> <li>Training &amp; pruning to be followed at the dormant stage to maintain proper framework of the plant &amp; to removed the unnecessary branches &amp; diseased plant parts,</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>All animals should be tethered in a covered shelter</li> <li>Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Deworming at regular interval</li> <li>Avoid dampness and cover weak and sick animals with sack cloth</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>Provide sufficient bedding materials to keep them warm</li> <li>Provide adequate clean drinking water+electrolyte</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Provide anti-coccidial drugs as preventive dose</li> <li>Remove wet litter</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 7/2015-16/Fri**

**Dated: 22<sup>nd</sup> January, 2016**

**Agro Advisory Bulletin: Tirap, District  
(Period: 22<sup>nd</sup> to 26<sup>th</sup> January, 2016)**

<b>Weather summary of the previous week</b>	<b>Weather forecast valid up to 26<sup>th</sup> January, 2016</b>
Rainfall = 0.0 mm.	Cloudy weather with no possibility of rain. Max Temp=23°C and Min Temp=11°C, RH=27-94%, Wind Speed=2 kmph, Wind Direction= SW

**Weather Based Agro-meteorological Advisories Bulletin**

<b>• Obtain seeds from reputed/certified/reliable source,</b>			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Mustard	Vegetative		<ul style="list-style-type: none"> <li>Cover the crop during night to protect against frost</li> <li>Need-based foliar spray of Metalaxyl+Dithane M-45 @ 2.5g/lit at 15 days interval for management of White rust/Downy mildew in mustard</li> </ul>
Pea, Cauliflower, Cabbage etc	Vegetative		<ul style="list-style-type: none"> <li>Spray Azadirachtin 0.15% EC 2@ 6ml/lit against leaf eating insects in cabbage/cauliflower/pea &amp; other vegetables</li> </ul>
Tomato	Vegetative		<ul style="list-style-type: none"> <li>Cover the crop with polyethene/cloths to protect from frost</li> <li>Place 2-3 inch crop residue mulch around the base of the plant</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none"> <li>If harvesting is over, immediate removal of dry and diseased branches of the tree to maintain plant health recommended</li> <li>Store the harvest in dry places</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>All animals should be tethered in a covered shelter</li> <li>Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Deworming at regular interval</li> <li>Avoid dampness and cover weak and sick animals with sack cloth</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>Provide sufficient bedding materials to keep them warm</li> <li>Provide adequate clean drinking water+electrolyte</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Provide anti-coccidial drugs as preventive dose</li> <li>Remove wet litter</li> </ul>
Fishery			<ul style="list-style-type: none"> <li>Check acidity of water at 15 days interval to know the quality of water in the culture tank.</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit, ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 7/2015-16/Fri**

**Dated: 22<sup>nd</sup> January, 2016**

**Agro Advisory Bulletin: Upper Siang, District  
(Period: 22<sup>nd</sup> to 26<sup>th</sup> January, 2016)**

<b>Weather summary of the previous week</b>	<b>Weather forecast valid up to 26<sup>th</sup> January, 2016</b>
Rainfall = 0.0 mm.	Moderately cloudy weather with no possibility of rainfall is forecasted. Max Temp=13°C and Min Temp=1°C, RH=20-62%, Wind Speed=6-7 kmph, Wind Direction= SSE

**Weather Based Agro-meteorological Advisories Bulletin**

<b>• Obtain seeds from reputed/certified/reliable source,</b>			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Pea/Cauliflower/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none"> <li>On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower, pea &amp; other vegetables is advocated</li> </ul>
Tomato	Vegetative		<ul style="list-style-type: none"> <li>Cover the crop with polyethene/cloths to protect from frost</li> <li>Place 2-3 inch crop residue mulch around the base of the plant</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/Harvesting		<ul style="list-style-type: none"> <li>If harvesting is over, immediate removal of dry and diseased branches of the tree to maintain plant health is recommended</li> <li>Store the harvested fruits in dry/clean places with proper cushioning with rice straw</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>All animals should be tethered in a covered shelter</li> <li>Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Deworming at regular interval</li> <li>Avoid dampness and cover weak and sick animals with sack cloth</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>Provide sufficient bedding materials to keep them warm</li> <li>Provide adequate clean drinking water+electrolyte</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Provide anti-coccidial drugs as preventive</li> <li>Remove wet litter</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 7/2015-16/Fri**

**Dated: 22<sup>nd</sup> January, 2016**

**Agro Advisory Bulletin: Upper Subansiri, District  
(Period: 22<sup>nd</sup> to 26<sup>th</sup> January, 2016)**

<b>Weather summary of the previous week</b>	<b>Weather forecast valid up to 26<sup>th</sup> January, 2016</b>
Rainfall = 5.2 mm.	Moderately cloudy sky with possibility of no rain. Max Temp=11°C and Min Temp=(-)1°C, RH=41-86%, Wind Speed=3-6 kmph, Wind Direction= WNW

## Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Tomato	Vegetative		<ul style="list-style-type: none"> <li>• Cover the crop with polyethene/cloths to protect from frost</li> <li>• Place 2-3 inch crop residue mulch around the base of the plant</li> </ul>
Pea/Cauliflower/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none"> <li>• On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower, pea &amp; other vegetables is advocated</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/Harvesting		<ul style="list-style-type: none"> <li>• If harvesting is over, immediate removal of dry and diseased branches of the tree to maintain plant health is recommended</li> <li>• Store the harvest in dry places with proper cushioning with rice straw</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>• Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>• All animals should be tethered in a covered shelter</li> <li>• Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Right time to deworm</li> <li>• Avoid dampness and cover weak and sick animals with sack cloth</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>• Provide sufficient bedding materials to keep them warm</li> <li>• Provide adequate clean drinking water+electrolyte</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Provide anti-coccidial drugs</li> <li>• Remove wet litter</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

## (Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 7/2015-16/Fri**

**Dated: 22<sup>nd</sup> January, 2016**

**Agro Advisory Bulletin: West Kameng, District  
(Period: 22<sup>nd</sup> to 26<sup>th</sup> January, 2016)**

<b>Weather summary of the previous week</b>	<b>Weather forecast valid up to 26<sup>th</sup> January, 2016</b>
Rainfall = 0.0 mm.	Partially cloudy sky with very light rain is forecasted for initial days. Max Temp=11°C and Min Temp=1°C, RH=36-89%, Wind Speed=4-5 kmph, Wind Direction= ENE

**Weather Based Agro-meteorological Advisories Bulletin**

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Pea, Cauliflower, Cabbage etc	Vegetative		<ul style="list-style-type: none"> <li>• During clear weather spray Azadirachtin 0.15% EC 2@ 6ml/lit against leaf eating insects in cabbage/cauliflower,/pea &amp; other vegetables</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none"> <li>• If harvesting is over, immediate removal of dry and diseased branches of the tree to maintain plant health recommended</li> <li>• Store the harvest in dry places</li> </ul>
Banana	Vegetative/ maturity		<ul style="list-style-type: none"> <li>• Mulching in the root zone is advocated against frost inquiry</li> </ul>
Temperate fruits (Apple, peach, pear, plum, kiwi etc.)	Dormant stage		<ul style="list-style-type: none"> <li>• Training &amp; pruning to be followed at the dormant stage to maintain proper framework of the plant &amp; to removed the unnecessary branches &amp; diseased plant parts,</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>• Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>• All animals should be tethered in a covered shelter</li> <li>• Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Deworming at regular interval</li> <li>• Avoid dampness and cover weak and sick animals with sack cloth</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>• Provide sufficient bedding materials to keep them warm</li> <li>• Provide adequate clean drinking water+electrolyte</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Provide anti-coccidial drugs</li> <li>• Remove wet litter</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 7/2015-16/Fri**

**Dated: 22<sup>nd</sup> January, 2016**

**Agro Advisory Bulletin: West Siang, District  
(Period: 22<sup>nd</sup> to 26<sup>th</sup> January, 2016)**

Weather summary of the previous week	Weather forecast valid up to 26 <sup>th</sup> January, 2016
Rainfall = 5.6 mm. T. Max: 19.2°C, T. Min: 7.2°C, RH: 57-98 %, Wind Speed: 2.4 kmph, Wind Direction: NE	Partially cloudy sky with possibility of no rain. Max Temp=23°C and Min Temp=9°C, RH=32-84%, Wind Speed= 5-6 kmph, Wind Direction= WNW

## Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Tomato	Vegetative		<ul style="list-style-type: none"> <li>• Cover the crop with polyethene/cloths to protect from frost</li> <li>• Place 2-3 inch crop residue mulch around the base of the plant</li> </ul>
Pea/Cauliflower/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none"> <li>• On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower/pea &amp; other vegetables is advocated</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/Harvesting		<ul style="list-style-type: none"> <li>• If harvesting is over, immediate removal of dry and diseased branches of the tree to maintain plant health is recommended</li> <li>• Store in dry places with proper cushioning with rice straw</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>• Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>• All animals should be tethered in a covered shelter</li> <li>• Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Deworming at regular interval</li> <li>• Avoid dampness and cover weak and sick animals with sack cloth</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>• Provide sufficient bedding materials to keep them warm</li> <li>• Provide adequate clean drinking water+electrolyte</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Provide anti-coccidial drugs as preventive dose</li> <li>• Remove wet litter</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

## (Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 7/2015-16/Fri**

**Dated: 22<sup>nd</sup> January, 2016**

**Agro Advisory Bulletin: Anjaw District  
(Period: 22<sup>nd</sup> to 26<sup>th</sup> January, 2016)**

Weather summary of the previous week	Weather forecast valid up to 26 <sup>th</sup> January, 2016
Rainfall = 0.0 mm.	Partial cloud cover with possibility of light rain. Max Temp=10°C and Min Temp=(-)1°C, RH=30-76%, Wind Speed=6-8 kmph

**Weather Based Agro-meteorological Advisories Bulletin**

<b>• Obtain seeds from reputed/certified/reliable source,</b>			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
Tomato	Vegetative		<ul style="list-style-type: none"> <li>Cover the crop with polyethene/cloths to protect from frost</li> <li>Place 2-3 inch crop residue mulch around the base of the plant</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none"> <li>Complete harvesting; afterward remove the dry and diseased branches of the tree to maintain plant health.</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Deworm at regular interval</li> <li>During scarcity of fodder provide hay/silage/feedblocks.</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>Provide sufficient bedding materials to keep them warm</li> <li>Provide adequate clean drinking water+electrolyte</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Provide anti-coccidial drugs</li> <li>Remove wet litter</li> <li>Provide artificial heating and light</li> </ul>
Fishery			<ul style="list-style-type: none"> <li>Check acidity of water at 15 days interval to know the quality of water in the culture tank.</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226237/226247**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 7/2015-16/Fri**

**Dated: 22<sup>nd</sup> January, 2016**

**Agro Advisory Bulletin: Changlang, District  
(Period: 22<sup>nd</sup> to 26<sup>th</sup> January, 2016)**

<b>Weather summary of the previous week</b>	<b>Weather forecast valid up to 26<sup>th</sup> January, 2016</b>
Rainfall = 6.9 mm.	Sky would remain partially cloudy with possibility of light rain. Max Temp=15°C and Min Temp=5°C, RH=20-75%, Wind Speed= 3-4 kmph, Wind Direction= SE

## Weather Based Agro-meteorological Advisories Bulletin

<b>• Obtain seeds from reputed/certified/reliable source,</b>			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
Tomato	Vegetative		<ul style="list-style-type: none"> <li>Cover the crop with polyethene/cloth during night to avoid frost.</li> <li>Place 2-3 inch crop residue mulch around the base of the plant</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none"> <li>If harvesting is over, immediate removal of dry and diseased branches of the tree to maintain plant health is recommended.</li> <li>Store the fruits in well aerated place over dry straw or other cushion materials</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Deworm at regular interval</li> <li>Avoid dampness</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>Provide sufficient bedding materials to keep them warm</li> <li>Provide adequate clean drinking water+electrolyte</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Provide anti-coccidial drugs</li> <li>Remove wet litter</li> </ul>
Fishery			<ul style="list-style-type: none"> <li>Check acidity of water at 15 days interval to know the quality of water in the culture tank.</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 7/2015-16/Fri**

**Dated: 22<sup>nd</sup> January, 2016**

**Agro Advisory Bulletin: Dibang Valley (U), District  
(Period: 22<sup>nd</sup> to 26<sup>th</sup> January, 2016)**

<b>Weather summary of the previous week</b>	<b>Weather forecast valid up to 26<sup>th</sup> January, 2016</b>
Rainfall = 7.0 mm.	Moderately cloudy sky with possibility of light rain. Max Temp=13°C and Min Temp=2°C, RH=30-73 %, Wind Speed=7-8 kmph, Wind Direction= E

## Weather Based Agro-meteorological Advisories Bulletin

<b>• Obtain seeds from reputed/certified/reliable source,</b>			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Mustard	Vegetative		<ul style="list-style-type: none"> <li>Cover the crop during night to protect against frost</li> <li>Place 2-3 inch crop residue mulch around the base of the plant</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none"> <li>If harvesting is over, immediate removal of dry and diseased branches of the tree to maintain plant health is recommended.</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Deworming at regular interval</li> <li>Avoid dampness</li> <li>During scarcity of fodder provide hay/silage/feedblocks.</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>Provide sufficient bedding materials to keep them warm</li> <li>Provide adequate clean drinking water+electrolyte</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Provide anti-coccidial drugs</li> <li>Remove wet litter</li> </ul>
<b>Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237</b>			

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 7/2015-16/Fri**

**Dated: 22<sup>nd</sup> January, 2016**

**Agro Advisory Bulletin: East Kameng, District  
(Period: 22<sup>nd</sup> to 26<sup>th</sup> January, 2016)**

Weather summary of the previous week	Weather forecast valid up to 26 <sup>th</sup> January, 2016
Rainfall = 0.0mm. Extremely/Severely wet condition is experienced as per SPI map of IMD.	Partial cloudy sky with no possibility of rain. Max Temp=13°C and Min Temp=2°C, RH=34-92%, Wind Speed=4-6 kmph, Wind Direction= ESE

## Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Mustard	Vegetative		<ul style="list-style-type: none"> <li>• Mulching with crop residue is advocated for conservation of soil moisture</li> <li>• Make provision for life-saving irrigations in some places</li> <li>• Cover the crop during night to protect against frost</li> </ul>
Pea, Cauliflower, Cabbage etc	Vegetative		<ul style="list-style-type: none"> <li>• Spray Azadirachtin 0.15% EC 2@ 6ml/lit against leaf eating insects in cabbage/cauliflower/pea &amp; other vegetables</li> <li>• Provide need-based irrigation</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/Harvesting		<ul style="list-style-type: none"> <li>• Harvesting during clear weather with fruit harvester followed by immediate removal of dry and diseased branches of the tree to maintain plant health.</li> <li>• Store the harvested crop in dry places over proper dry cushioning materials like rice straw</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>• Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>• Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Deworming at regular interval</li> <li>• Avoid dampness</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>• Provide sufficient bedding materials to keep them warm</li> <li>• Provide adequate clean drinking water+electrolyte</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Provide anti-coccidial drugs as preventive doses</li> <li>• Remove wet litter</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

## (Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 7/2015-16/Fri**

**Dated: 22<sup>nd</sup> January, 2016**

### Agro Advisory Bulletin: **East Siang, District** (Period: **22<sup>nd</sup> to 26<sup>th</sup> January, 2016**)

Weather summary of the previous week	Weather forecast valid up to 26 <sup>th</sup> January, 2016
Rainfall = 1.5 mm; RH: 66-85, T. Max: 24.0°C and T. Min: 12.4°C	Partially cloudy sky with possibility of very light rain in initial 1-2 days. Max Temp=23°C and Min Temp=13°C, RH=70-81%, Wind Speed=6 kmph, Wind Direction= W

### Weather Based Agro-meteorological Advisories Bulletin

<b>• Obtain seeds from reputed/certified/reliable source,</b>			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Mustard	Vegetative		<ul style="list-style-type: none"> <li>Cover the crop during night to protect from frost</li> <li>Place 2-3 inch crop residue mulch around the base of the plant</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none"> <li>If harvesting is over, immediate removal of dry and diseased branches of the tree to maintain plant health is recommended</li> <li>Store the harvest in dry places with proper cushioning materials</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Right time to deworm</li> <li>Avoid dampness</li> <li>During scarcity of fodder provide hay/silage/feedblocks.</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>Provide sufficient bedding materials to keep them warm</li> <li>Provide adequate clean drinking water+electrolyte</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Provide anti-coccidial drugs as preventive dose</li> <li>Remove wet litter</li> </ul>
Fishery			<ul style="list-style-type: none"> <li>Check acidity of water at 15 days interval to know the quality of water in the culture tank.</li> </ul>
<b>Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237</b>			

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 7/2015-16/Fri**

**Dated: 22<sup>nd</sup> January, 2016**

**Agro Advisory Bulletin: Kurung Kumey, District  
(Period: 22<sup>nd</sup> to 26<sup>th</sup> January, 2016)**

<b>Weather summary of the previous week</b>	<b>Weather forecast valid up to 26<sup>th</sup> January, 2016</b>
Rainfall = 0.0 mm.	Moderately cloudy sky with no possibility of rain. Max Temp=11°C and Min Temp=(-)1°C, RH=40-82 %, Wind Speed=2-4 kmph, Wind Direction= WNW

## Weather Based Agro-meteorological Advisories Bulletin

<b>• Obtain seeds from reputed/certified/reliable source,</b>			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Mustard	Vegetative		<ul style="list-style-type: none"> <li>Place 2-3 inch crop residue mulch around the base of the plant and cover the crop during night to protect from frost</li> </ul>
Pea/Cauliflower/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none"> <li>On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower./pea &amp; other vegetables is advocated</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/Harvesting		<ul style="list-style-type: none"> <li>If harvesting is over, immediate removal of dry and diseased branches of the tree to maintain plant health is recommended.</li> <li>Store the harvest in dry places with cushioning with dry rice straw.</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>Deworming at regular interval</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Right time to deworm and continue at regular interval</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>Provide sufficient bedding materials to keep them warm</li> <li>Provide adequate clean drinking water+electrolyte</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Provide anti-coccidial drugs as preventive dose</li> <li>Remove wet litter</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**