



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 9/2015-16/Fri**

**Dated: 29<sup>th</sup> January, 2016**

**Agro Advisory Bulletin: Lower Dibang Valley, District  
(Period: 29<sup>th</sup> January to 2<sup>nd</sup> February, 2016)**

<b>Weather summary of the previous week</b>	<b>Weather forecast valid up to 2<sup>nd</sup> February, 2016</b>
Rainfall = 0.0 mm.	Partial cloud cover with possibility of light rain. Max Temp=10°C and Min Temp=1°C, RH=19-66%, Wind Speed=6-7 kmph, Wind Direction= E

## Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Pea/Cauliflower/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none"> <li>• On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower./pea &amp; other vegetables is advocated</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/Harvesting		<ul style="list-style-type: none"> <li>• Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plant</li> <li>• Go for drenching with Dichlorvos 76 EC @ 0.05% against trunk borer in citrus trees only if the harvesting is over</li> <li>• Spray Imagalil 34WP @ 1g/lit against blue &amp; green mauld in Khasi mandarin when the harvesting is over</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>• Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>• All animals should be tethered in a covered shelter</li> <li>• Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Regular deworming of animals</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>• Provide sufficient bedding materials to keep them warm</li> <li>• Provide adequate clean drinking water+electrolyte</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Provide anti-coccidial drugs as preventive measure</li> <li>• Remove wet litter</li> </ul>
Fishery			<ul style="list-style-type: none"> <li>• Use soil-water probiotics in fish pond for making disease free environment</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 9/2015-16/Fri**

**Dated: 29<sup>th</sup> January, 2016**

**Agro Advisory Bulletin: Lower Subansiri, District  
(Period: 29<sup>th</sup> January to 2<sup>nd</sup> February, 2016)**

<b>Weather summary of the previous week</b>	<b>Weather forecast valid up to 2<sup>nd</sup> February, 2016</b>
Rainfall = 0.0 mm.	Partial cloud with possibility of very light rain in few places. Max Temp=8°C and Min Temp = 1°C, RH=31-88%, Wind Speed=6-8 kmph, Wind Direction=WSW

## Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Mustard	Vegetative		<ul style="list-style-type: none"> <li>• Cover the crop during night to protect against frost.</li> </ul>
Pea/Cauliflower/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none"> <li>• On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower./pea &amp; other vegetables is advocated</li> </ul>
Tomato	Vegetative		<ul style="list-style-type: none"> <li>• Cover the crop with polyethene/cloths to protect from frost</li> <li>• Place 2-3 inch crop residue mulch around the base of the plant</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/Harvesting		<ul style="list-style-type: none"> <li>• Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plant</li> <li>• Remove all water sprouts from the base of the plant</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>• Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>• All animals should be tethered in a covered shelter</li> <li>• Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Deworming at regular interval</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>• Provide sufficient bedding materials to keep them warm</li> <li>• Provide adequate clean drinking water+electrolyte</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Provide anti-coccidial drugs as preventive dose</li> <li>• Remove wet litter</li> </ul>
Fishery			<ul style="list-style-type: none"> <li>• Use soil-water probiotics in fish pond for making disease free environment</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 9/2015-16/Fri**

**Dated: 29<sup>th</sup> January, 2016**

**Agro Advisory Bulletin: Papum Pare, District  
(Period: 29<sup>th</sup> January to 2<sup>nd</sup> February, 2016)**

Weather summary of the previous week	Weather forecast valid up to 2 <sup>nd</sup> February, 2016
Rainfall = 3.8 mm. Max Temp:24.3°C and Min. Temp:10.4°C, RH: 57-78%	Moderately cloudy weather with possibility of very light rain in few isolated places. Max Temp=25°C and Min Temp=10°C, RH=34-81%, Wind Speed=5-6 kmph, Wind Direction= ESE

## Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Tomato	Vegetative		<ul style="list-style-type: none"> <li>• Cover the crop with polyethene/cloths to protect from frost</li> <li>• Place 2-3 inch crop residue mulch around the base of the plant</li> </ul>
Pea/Cauliflower/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none"> <li>• On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower/pea &amp; other vegetables is advocated</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/Harvesting		<ul style="list-style-type: none"> <li>• Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plant</li> <li>• Remove all water sprouts from the base of the plant</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>• Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>• All animals should be tethered in a covered shelter</li> <li>• Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Deworming at regular interval</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>• Provide sufficient bedding materials to keep them warm</li> <li>• Provide adequate clean drinking water+electrolyte</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Provide anti-coccidial drugs as preventive dose</li> <li>• Remove wet litter</li> </ul>
Fishery			<ul style="list-style-type: none"> <li>• Use soil-water probiotics in fish pond for making disease free environment</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 9/2015-16/Fri**

**Dated: 29<sup>th</sup> January, 2016**

**Agro Advisory Bulletin: Tawang, District  
(Period: 29<sup>th</sup> January to 2<sup>nd</sup> February, 2016)**

<b>Weather summary of the previous week</b>	<b>Weather forecast valid up to 2<sup>nd</sup> February, 2016</b>
Rainfall = 3.0 mm.	Partial cloud cover with possibility of very light rain. Max Temp=8°C and Min Temp=1°C, RH=42-88 %, Wind Speed=6-7 kmph, Wind Direction= SW

**Weather Based Agro-meteorological Advisories Bulletin**

<b>• Obtain seeds from reputed/certified/reliable source,</b>			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Tomato	Vegetative		<ul style="list-style-type: none"> <li>Cover the crop with polyethene/cloths to protect from frost</li> <li></li> </ul>
<b>FRUIT CROPS</b>			
Temperate fruits (Apple, peach, pear, plum, kiwi etc.)	Dormant stage		<ul style="list-style-type: none"> <li>Training &amp; pruning to be followed at the dormant stage to maintain proper framework of the plant &amp; to removed the unnecessary branches &amp; diseased plant parts,</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>All animals should be tethered in a covered shelter</li> <li>Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Deworming at regular interval</li> <li>Avoid dampness and cover weak and sick animals with sack cloth</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>Provide sufficient bedding materials to keep them warm</li> <li>Provide adequate clean drinking water+electrolyte</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Provide anti-coccidial drugs as preventive dose</li> <li>Remove wet litter</li> </ul>
<b>Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237</b>			

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 9/2015-16/Fri**

**Dated: 29<sup>th</sup> January, 2016**

**Agro Advisory Bulletin: Tirap, District  
(Period: 29<sup>th</sup> January to 2<sup>nd</sup> February, 2016)**

<b>Weather summary of the previous week</b>	<b>Weather forecast valid up to 2<sup>nd</sup> February, 2016</b>
Rainfall = 17.6 mm.	Cloudy weather with no possibility of rain. Max Temp=23°C and Min Temp=8°C, RH=37-100%, Wind Speed=2 kmph, Wind Direction= SE

**Weather Based Agro-meteorological Advisories Bulletin**

<b>• Obtain seeds from reputed/certified/reliable source,</b>			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Mustard	Vegetative		<ul style="list-style-type: none"> <li>Cover the crop during night to protect against frost</li> <li>Need-based foliar spray of Metalaxyl+Dithane M-45 @ 2.5g/lit at 15 days interval for management of White rust/Downy mildew in mustard</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none"> <li>Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plant</li> <li>Go for drenching with Dichlorvos 76 EC @ 0.05% against trunk borer in citrus trees only if the harvesting is over</li> <li>Spray Imagalil 34WP @ 1g/lit against blue &amp; green mauld in Khasi mandarin when the harvesting is over</li> <li>Remove all water sprouts from the base of the plant</li> </ul>
Banana			<ul style="list-style-type: none"> <li>Timely/regular removal of extra suckers, dry leaves &amp; pseudo-stem</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>All animals should be tethered in a covered shelter</li> <li>Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Deworming at regular interval</li> <li>Avoid dampness and cover weak and sick animals with sack cloth</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>Provide sufficient bedding materials to keep them warm</li> <li>Provide adequate clean drinking water+electrolyte</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Provide anti-coccidial drugs as preventive dose</li> <li>Remove wet litter</li> </ul>
Fishery			<ul style="list-style-type: none"> <li>Check acidity of water at 15 days interval to know the quality of water in the culture tank.</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit, ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

## (Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 9/2015-16/Fri**

**Dated: 29<sup>th</sup> January, 2016**

**Agro Advisory Bulletin: Upper Siang, District  
(Period: 29<sup>th</sup> January to 2<sup>nd</sup> February, 2016)**

<b>Weather summary of the previous week</b>	<b>Weather forecast valid up to 2<sup>nd</sup> February, 2016</b>
Rainfall = 1.0 mm.	Cloudy weather with possibility of moderate rainfall is forecasted. Max Temp=8°C and Min Temp=1°C, RH=26-76%, Wind Speed=6-8 kmph, Wind Direction= SSE

### Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Tomato	Vegetative		<ul style="list-style-type: none"> <li>• Cover the crop with polyethene/cloths to protect from frost</li> <li>• Place 2-3 inch crop residue mulch around the base of the plant</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none"> <li>• Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plant</li> <li>• Remove all water sprouts from the base of the plant</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Honey Bees			<ul style="list-style-type: none"> <li>• Provide sugar syrup @ 750 g/lit of water</li> </ul>
Pigs	All stages		<ul style="list-style-type: none"> <li>• Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>• All animals should be tethered in a covered shelter</li> <li>• Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Deworming at regular interval</li> <li>• Avoid dampness and cover weak and sick animals with sack cloth</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>• Provide sufficient bedding materials to keep them warm</li> <li>• Provide adequate clean drinking water+electrolyte</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Provide anti-coccidial drugs as preventive</li> <li>• Remove wet litter</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 9/2015-16/Fri**

**Dated: 29<sup>th</sup> January, 2016**

**Agro Advisory Bulletin: Upper Subansiri, District  
(Period: 29<sup>th</sup> January to 2<sup>nd</sup> February, 2016)**

Weather summary of the previous week	Weather forecast valid up to 2 <sup>nd</sup> February, 2016
Rainfall = 6.4 mm.	Moderately cloudy sky with possibility of light rain in some isolated places. Max Temp=9°C and Min Temp=1°C, RH=29-82%, Wind Speed=4-8 kmph, Wind Direction= WNW

**Weather Based Agro-meteorological Advisories Bulletin**

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Tomato	Vegetative		<ul style="list-style-type: none"> <li>• Cover the crop with polyethene/cloths to protect from frost</li> <li>• Place 2-3 inch crop residue mulch around the base of the plant</li> </ul>
Pea/Cauliflower/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none"> <li>• On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower/pea &amp; other vegetables is advocated</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/Harvesting		<ul style="list-style-type: none"> <li>• Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plant</li> <li>• Remove all water sprouts from the base of the plant</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>• Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>• All animals should be tethered in a covered shelter</li> <li>• Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Right time to deworm</li> <li>• Avoid dampness and cover weak and sick animals with sack cloth</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>• Provide sufficient bedding materials to keep them warm</li> <li>• Provide adequate clean drinking water+electrolyte</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Provide anti-coccidial drugs</li> <li>• Remove wet litter</li> </ul>
Fishery			<ul style="list-style-type: none"> <li>• Use soil-water probiotics in fish pond for making disease free environment</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 9/2015-16/Fri**

**Dated: 29<sup>th</sup> January, 2016**

**Agro Advisory Bulletin: West Kameng, District  
(Period: 29<sup>th</sup> January to 2<sup>nd</sup> February, 2016)**

Weather summary of the previous week	Weather forecast valid up to 2 <sup>nd</sup> February, 2016
Rainfall = 0.4 mm.	Partially cloudy sky with very light rain in few isolated places. Max Temp=8°C and Min Temp=1°C, RH=39-86%, Wind Speed=6-8 kmph, Wind Direction= S

## Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Pea, Cauliflower, Cabbage etc	Vegetative		<ul style="list-style-type: none"> <li>• During clear weather spray Azadirachtin 0.15% EC 2@ 6ml/lit against leaf eating insects in cabbage/cauliflower./pea &amp; other vegetables</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none"> <li>• If harvesting is over, immediate removal of dry and diseased branches of the tree to maintain plant health recommended</li> <li>• Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plant</li> <li>• Remove all water sprouts from the base of the plant</li> </ul>
Banana	Vegetative/ma turity		<ul style="list-style-type: none"> <li>• Mulching in the root zone is advocated against frost inquiry</li> </ul>
Temperate fruits (Apple, peach,pear,pl um,kiwi etc.)	Dormant stage		<ul style="list-style-type: none"> <li>• Training &amp; pruning to be followed at the dormant stage to maintain proper framework of the plant &amp; to removed the unnecessary branches &amp; diseased plant parts,</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>• Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Deworming at regular interval</li> <li>• Avoid dampness and cover weak and sick animals with sack cloth</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>• Provide sufficient bedding materials to keep them warm</li> <li>• Provide adequate clean drinking water+electrolyte</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Provide anti-coccidial drugs</li> <li>• Remove wet litter</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 9/2015-16/Fri**

**Dated: 29<sup>th</sup> January, 2016**

**Agro Advisory Bulletin: West Siang, District  
(Period: 29<sup>th</sup> January to 2<sup>nd</sup> February, 2016)**

Weather summary of the previous week	Weather forecast valid up to 2 <sup>nd</sup> February, 2016
Rainfall = 0.0 mm. T. Max: 18.7°C, T. Min: 4.8 °C, RH: 41-99 %, Wind Speed: 2.4 kmph, Wind Direction: SE	Partially cloudy sky with possibility of light rain after 1-2 days in few isolated places. Max Temp=24°C and Min Temp=8°C, RH=34-87%, Wind Speed= 6-7 kmph, Wind Direction= WNW

## Weather Based Agro-meteorological Advisories Bulletin

<b>• Obtain seeds from reputed/certified/reliable source,</b>			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Tomato	Vegetative		<ul style="list-style-type: none"> <li>Cover the crop with polyethene/cloths to protect from frost</li> <li>Place 2-3 inch crop residue mulch around the base of the plant</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none"> <li>Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plant</li> <li>Remove all water sprouts from the base of the plant</li> </ul>
Apple/Kiwi			<ul style="list-style-type: none"> <li>Training and pruning is must to remove all diseased and crisscross branches to maintain the shape and health of the plant</li> </ul>
Banana			<ul style="list-style-type: none"> <li>Timely/regular removal of extra suckers, dry leaves &amp; pseudo-stem</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Honey Bees			<ul style="list-style-type: none"> <li>Provide sugar syrup @ 750 g/lit of water</li> </ul>
Pigs	All stages		<ul style="list-style-type: none"> <li>Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>All animals should be tethered in a covered shelter</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Deworming at regular interval</li> <li>Avoid dampness and cover weak and sick animals with sack cloth</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>Provide adequate clean drinking water+electrolyte</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Provide anti-coccidial drugs as preventive dose</li> <li>Remove wet litter</li> </ul>
Fishery			<ul style="list-style-type: none"> <li>Use soil-water probiotics in fish pond for making disease free environment</li> </ul>
<b>Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237</b>			

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 9/2015-16/Fri**

**Dated: 29<sup>th</sup> January, 2016**

**Agro Advisory Bulletin: Anjaw District  
(Period: 29<sup>th</sup> January to 2<sup>nd</sup> February, 2016)**

Weather summary of the previous week	Weather forecast valid up to 2 <sup>nd</sup> February, 2016
Rainfall = 0.0 mm.	Partly cloudy sky with possibility of no rain. Max Temp=8°C and Min Temp=1°C, RH=21-79%, Wind Speed=5-8 kmph, Wind direction: E

## Weather Based Agro-meteorological Advisories Bulletin

<b>• Obtain seeds from reputed/certified/reliable source,</b>			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
Tomato	Vegetative		<ul style="list-style-type: none"> <li>Cover the crop with polyethene/cloths to protect from frost</li> <li>Place 2-3 inch crop residue mulch around the base of the plant</li> </ul>
Pea/Cauliflower/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none"> <li>On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower./pea &amp; other vegetables is advocated</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/Harvesting		<ul style="list-style-type: none"> <li>Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plant</li> <li>Go for drenching with Dichlorvos 76 EC @ 0.05% against trunk borer in citrus trees only if the harvesting is over</li> <li>Spray Imagalil 34WP @ 1g/lit against blue &amp; green mauld in Khasi mandarin when the harvesting is over</li> <li>Remove all water sprouts from the base of the plant</li> </ul>
Banana			<ul style="list-style-type: none"> <li>Timely/regular removal of extra suckers, dry leaves &amp; pseudo-stem</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Deworm at regular interval</li> <li>During scarcity of fodder provide hay/silage/feedblocks.</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>Provide sufficient bedding materials to keep them warm</li> <li>Provide adequate clean drinking water+electrolyte</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Provide anti-coccidial drugs</li> <li>Remove wet litter/provide artificial heating and light</li> </ul>
Fishery			<ul style="list-style-type: none"> <li>Use soil-water probiotics in fish pond for making disease free environment</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226237/226247**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 9/2015-16/Fri**

**Dated: 29<sup>th</sup> January, 2016**

**Agro Advisory Bulletin: Changlang, District  
(Period: 29<sup>th</sup> January to 2<sup>nd</sup> February, 2016)**

<b>Weather summary of the previous week</b>	<b>Weather forecast valid up to 2<sup>nd</sup> February, 2016</b>
Rainfall = 1.0 mm.	Cloudy sky with no rain is forecasted. Max Temp=15°C and Min Temp=4°C, RH=25-75%, Wind Speed= 3-4 kmph, Wind Direction= ESE

## Weather Based Agro-meteorological Advisories Bulletin

<b>• Obtain seeds from reputed/certified/reliable source,</b>			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
Tomato	Vegetative		<ul style="list-style-type: none"> <li>Cover the crop with polyethene/cloth during night to avoid frost.</li> <li>Place 2-3 inch crop residue mulch around the base of the plant</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none"> <li>Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plant</li> <li>Go for drenching with Dichlorvos 76 EC @ 0.05% against trunk borer in citrus trees only if the harvesting is over</li> <li>Spray Imagalil 34WP @ 1g/lit against blue &amp; green mauld in Khasi mandarin when the harvesting is over</li> <li>Remove all water sprouts from the base of the plant</li> </ul>
Banana			<ul style="list-style-type: none"> <li>Timely/regular removal of extra suckers, dry leaves &amp; pseudo-stem</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Deworm at regular interval</li> <li>Avoid dampness</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>Provide sufficient bedding materials to keep them warm</li> <li>Provide adequate clean drinking water+electrolyte</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Provide anti-coccidial drugs/Remove wet litter</li> </ul>
Fishery			<ul style="list-style-type: none"> <li>Use soil-water probiotics in fish pond for making disease free environment</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 9/2015-16/Fri**

**Dated: 29<sup>th</sup> January, 2016**

**Agro Advisory Bulletin: Dibang Valley (U), District  
(Period: 29<sup>th</sup> January to 2<sup>nd</sup> February, 2016)**

<b>Weather summary of the previous week</b>	<b>Weather forecast valid up to 2<sup>nd</sup> February, 2016</b>
Rainfall = 7.0 mm.	Moderately cloudy sky with possibility of light rain. Max Temp=8°C and Min Temp=1°C, RH=23-80 %, Wind Speed=7-8 kmph, Wind Direction= ESE

## Weather Based Agro-meteorological Advisories Bulletin

<b>• Obtain seeds from reputed/certified/reliable source,</b>			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Mustard	Vegetative		<ul style="list-style-type: none"> <li>Cover the crop during night to protect against frost</li> <li>Place 2-3 inch crop residue mulch around the base of the plant</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none"> <li>Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plant</li> <li>Remove all water sprouts from the base of the plant</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Deworming at regular interval</li> <li>Avoid dampness</li> <li>During scarcity of fodder provide hay/silage/feedblocks.</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>Provide sufficient bedding materials to keep them warm</li> <li>Provide adequate clean drinking water+electrolyte</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Provide anti-coccidial drugs</li> <li>Remove wet litter</li> </ul>
Fishery			<ul style="list-style-type: none"> <li>Use soil-water probiotics in fish pond for making disease free environment</li> </ul>
<b>Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237</b>			

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

## (Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 9/2015-16/Fri**

**Dated: 29<sup>th</sup> January, 2016**

**Agro Advisory Bulletin: East Kameng, District  
(Period: 29<sup>th</sup> January to 2<sup>nd</sup> February, 2016)**

Weather summary of the previous week	Weather forecast valid up to 2 <sup>nd</sup> February, 2016
Rainfall = 0.0mm. Extremely/Severely wet condition is experienced as per SPI map of IMD.	Partial cloudy sky with no possibility of rain. Max Temp=9°C and Min Temp=1°C, RH=34-87%, Wind Speed=6-7 kmph, Wind Direction= SE

### Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Mustard	Vegetative		<ul style="list-style-type: none"> <li>• Mulching with crop residue is advocated for conservation of soil moisture</li> <li>• Make provision for life-saving irrigations in some places</li> </ul>
Pea, Cauliflower, Cabbage etc	Vegetative		<ul style="list-style-type: none"> <li>• Spray Azadirachtin 0.15% EC 2@ 6ml/lit against leaf eating insects in cabbage/cauliflower,pea &amp; other vegetables</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none"> <li>• Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plant</li> <li>• Go for drenching with Dichlorvos 76 EC @ 0.05% against trunk borer in citrus trees only if the harvesting is over</li> <li>• Spray Imagalil 34WP @ 1g/lit against blue &amp; green mauld in Khasi mandarin when the harvesting is over</li> <li>• Remove all water sprouts from the base of the plant</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>• Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>• Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Deworming at regular interval</li> <li>• Avoid dampness</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>• Provide sufficient bedding materials to keep them warm</li> <li>• Provide adequate clean drinking water+electrolyte</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Provide anti-coccidial drugs as preventive doses</li> <li>• Remove wet litter</li> </ul>
Fishery			<ul style="list-style-type: none"> <li>• Use soil-water probiotics in fish pond for making disease free environment</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 9/2015-16/Fri**

**Dated: 29<sup>th</sup> January, 2016**

**Agro Advisory Bulletin: East Siang, District  
(Period: 29<sup>th</sup> January to 2<sup>nd</sup> February, 2016)**

Weather summary of the previous week	Weather forecast valid up to 2 <sup>nd</sup> February, 2016
Rainfall = 0.0 mm; RH: 55-72%, T. Max: 21.8°C and T. Min: 11.4°C	Partially cloudy sky with possibility of rain in few isolated places. Max Temp=23°C and Min Temp=12°C, RH=28-82%, Wind Speed=5-6 kmph, Wind Direction= WNW

## Weather Based Agro-meteorological Advisories Bulletin

- **Obtain seeds from reputed/certified/reliable source,**

Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Mustard	Vegetative		<ul style="list-style-type: none"> <li>• Cover the crop during night to protect from frost</li> <li>• Place 2-3 inch crop residue mulch around the base of the plant</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/ Harvesting		<ul style="list-style-type: none"> <li>• Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plant</li> <li>• Remove all water sprouts from the base of the plant</li> </ul>
Banana			<ul style="list-style-type: none"> <li>• Timely/regular removal of extra suckers, dry leaves &amp; pseudo-stem</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Honey Bees			<ul style="list-style-type: none"> <li>• Provide sugar syrup @ 750 g/lit of water</li> </ul>
Pigs	All stages		<ul style="list-style-type: none"> <li>• Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>• Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Right time to deworm</li> <li>• Avoid dampness</li> <li>• During scarcity of fodder provide hay/silage/feedblocks.</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>• Provide sufficient bedding materials to keep them warm</li> <li>• Provide adequate clean drinking water+electrolyte</li> <li>• Vaccination as per the schedule with proper consultation with vet.</li> <li>• Provide anti-coccidial drugs as preventive dose</li> <li>• Remove wet litter</li> </ul>
Fishery			<ul style="list-style-type: none"> <li>• Use soil-water probiotics in fish pond for making disease free environment</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 9/2015-16/Fri**

**Dated: 29<sup>th</sup> January, 2016**

**Agro Advisory Bulletin: Kurung Kumey, District  
(Period: 29<sup>th</sup> January to 2<sup>nd</sup> February, 2016)**

<b>Weather summary of the previous week</b>	<b>Weather forecast valid up to 2<sup>nd</sup> February, 2016</b>
Rainfall = 0.0 mm.	Moderately cloudy sky with no possibility of rain. Max Temp=9°C and Min Temp=1°C, RH=26-87 %, Wind Speed=6-9 kmph, Wind Direction= W

## Weather Based Agro-meteorological Advisories Bulletin

<b>• Obtain seeds from reputed/certified/reliable source,</b>			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Mustard	Vegetative		<ul style="list-style-type: none"> <li>Place 2-3 inch crop residue mulch around the base of the plant and cover the crop during night to protect from frost</li> </ul>
Pea/Cauliflower/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none"> <li>On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower, pea &amp; other vegetables is advocated</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/Harvesting		<ul style="list-style-type: none"> <li>Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plant</li> <li>Go for drenching with Dichlorvos 76 EC @ 0.05% against trunk borer in citrus trees only if the harvesting is over</li> <li>Spray Imagalil 34WP @ 1g/lit against blue &amp; green mauld in Khasi mandarin when the harvesting is over</li> </ul>
Apple/Kiwi			<ul style="list-style-type: none"> <li>Training &amp; pruning to be followed at the dormant stage to maintain proper framework of the plant &amp; to removed the unnecessary branches &amp; diseased plant parts,</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>Deworming at regular interval</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Right time to deworm and continue at regular interval</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>Provide sufficient bedding materials to keep them warm</li> <li>Provide adequate clean drinking water+electrolyte</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Provide anti-coccidial drugs as preventive dose</li> <li>Remove wet litter</li> </ul>
Fishery			<ul style="list-style-type: none"> <li>Use soil-water probiotics in fish pond for making disease free environment</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**



# GRAMIN KRISHI MAUSAM SEWA

(Integrated Agro-Meteorological Advisory Services)



**ICAR Research Complex for NEH Region  
Arunachal Pradesh Centre, Basar-791101**

**No: 9/2015-16/Fri**

**Dated: 29<sup>th</sup> January, 2016**

**Agro Advisory Bulletin: Lohit, District  
(Period: 29<sup>th</sup> January to 2<sup>nd</sup> February, 2016)**

<b>Weather summary of the previous week</b>	<b>Weather forecast valid up to 2<sup>nd</sup> February, 2016</b>
Rainfall = 0.0 mm.	Moderately cloudy sky with possibility no rain. Max Temp=13°C and Min Temp=4°C, RH=22-76%, Wind Speed=3-5 kmph, Wind Direction= E

## Weather Based Agro-meteorological Advisories Bulletin

<b>• Obtain seeds from reputed/certified/reliable source,</b>			
Crop	Stage	Pest/Disease	Precautionary Practices to be followed
<b>VEGETABLE CROPS</b>			
Tomato	Vegetative		<ul style="list-style-type: none"> <li>Cover the crop with polyethene/cloths to protect from frost</li> <li>Place 2-3 inch crop residue mulch around the base of the plant</li> </ul>
Pea/Cauliflower/Cabbage	Vegetative	Leaf eating insects	<ul style="list-style-type: none"> <li>On clear weather, spray of Azadirachtin 0.15% EC @ 6ml/lit against leaf eating insects in cabbage/cauliflower/pea &amp; other vegetables is advocated</li> </ul>
<b>FRUIT CROPS</b>			
Citrus	Maturity/Harvesting		<ul style="list-style-type: none"> <li>Prune away all diseased portion of the citrus plant after harvest of the fruit to maintain the health of the plant</li> <li>Go for drenching with Dichlorvos 76 EC @ 0.05% against trunk borer in citrus trees only if the harvesting is over</li> <li>Spray Imagalil 34WP @ 1g/lit against blue &amp; green mould in Khasi mandarin when the harvesting is over</li> <li>Remove all water sprouts from the base of the plant</li> </ul>
<b>LIVESTOCKS</b>			
Livestock	Stage	Disease	Precautionary Practices to be followed
Pigs	All stages		<ul style="list-style-type: none"> <li>Provide proper bedding materials for newly born piglets to protect them from cold</li> <li>All animals should be tethered in a covered shelter</li> <li>Check for the broken parts in the pig houses and close them properly to avoid cold</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Deworm at regular interval</li> </ul>
Poultry	All stages		<ul style="list-style-type: none"> <li>Provide sufficient bedding materials to keep them warm</li> <li>Provide adequate clean drinking water+electrolyte</li> <li>Vaccination as per the schedule with proper consultation with vet.</li> <li>Provide anti-coccidial drugs as preventive dose</li> <li>Remove wet litter</li> <li>Artificial heating</li> </ul>
Fishery			<ul style="list-style-type: none"> <li>Use soil-water probiotics in fish pond for making disease free environment</li> </ul>

**Contact Scientists (ICAR) or State Agril Staff or KVK staff for measures against adverse conditions or call at 03795-226247/226237**

Issued jointly by ICAR-RC for NEH Region, Arunachal Pradesh Centre, Basar and India Meteorological Department  
Contact: - [IAAS.BASAR@gmail.com](mailto:IAAS.BASAR@gmail.com), Phone Number: - 03795-226247/37, -96 (Fax)

**Agrometeorological Field Unit  
ICAR, BASAR**