INTEGRATED AGROMET ADVISORY SERVICE

ICAR Research Complex for NEH Region

Umroi Road, Umiam – 793 103 Meghalaya

☎: Telephone No. : 0364 2570276 (O) Fax: 0364 2570213/Email: iaasbarapani@yahoo.in

RC (AE)/30/2011/ Bulletin/October'2013/09 Dated: 29/10/2013

Agro Advisory Bulletin for the period 30th Oct – 3rd Nov 2013

Weather summery of the previous week	Weather forecast valid up to 3rd November, 2013
Max Temp: 25.0-29.0^{0}C, Min Temp: 17.0-18.0^{0}C, Wind Speed: 4-8Kmph, Wind Direction: 79-145Degree, Rainfall: 29.0mm.	The possibility of Rainfall is 2.0mm for the next five days. Max Temp: 28.0^{0}C, Min Temp: 16.0-17.0^{0}C, Cloud Cover: sky will be mainly clear i.e. 0-2Okta, Max RH: 69-78%, Min RH: 43-49%, Wind Speed: 5-6Kmph, Wind Direction: 98-170Degree. ***Weekly cumulative rainfall : 2.0mm***

Agro-advisories of East Garo hills for coming week

Main Crop/ Animal /Fisheries	Stage	Pest/ Diseases	Agricultural advisories
Sali paddy	Maturity	---	• Harvest mature crop and dry under sun properly • Drain out fields in case of crops starting maturity stage.
Khasi Mandarin	Fruiting & maturity		• Harvest mature fruits
Groundnut	Maturity		• Harvest the mature pods and dry them properly under direct sun light.
Potato	Vegetative		• Do earthing up where ever necessary • Apply water depending on the soil condition as rain has stopped.
Rapeseed/Mustard	Vegetative		• Carry out thinning to facilitate proper vegetative growth • Cover space between rows with rice straw mulch to conserve soil moisture.
Cabbage & Cauliflower (late varieties)	Seed sowing in nursery		• Prepare nursery for late cabbage varieties viz. Pusa Drum Head and late cauliflower viz. Meghalaya Local.
Other Winter vegetables	Nursery raising	Damping off	• To avoid damping off of seedlings, the seed beds should be drenched with 0.01% Captan or 4% Formalin solution before sowing. Seed should be treated with Captan or Bavistin @ 3 g per kg of seed (dry treatment) before sowing

N.B.

Suggestion: Contact nearby State Agril Staff or KVK staff for necessary help and suggestion.

INTEGRATED AGROMET ADVISORY SERVICE

ICAR Research Complex for NEH Region

Umroi Road, Umiam – 793 103 Meghalaya

☎: Telephone No. : 0364 2570276 (O) Fax: 0364 2570213/Email: iaasbarapani@yahoo.in

RC (AE)/30/2011/ Bulletin/October'2013/09 Dated: 29/10/2013

Agro Advisory Bulletin for the period 30th Oct – 3rd Nov 2013

Weather summery of the previous week	Weather forecast valid up to 3rd November, 2013
Max Temp: 21.0-22.0^{0}C, Min Temp: 11.0^{0}C, Cloud Cover: sky will be mainly cloudy i.e. 0-8Okta, Max RH: 89-96%, Min RH: 48-61%, Wind Speed: 4-6Kmph, Wind Direction: 82-95Degree and Rainfall is 11.0mm.	The possibility of Rainfall is 2.0mm for the next five days. Max Temp: 21.0-22.0^{0}C, Min Temp: 11.0^{0}C, Cloud Cover: sky will be mainly clear i.e. 1-2Okta, Max RH: 86-91%, Min RH: 44-51%, Wind Speed: 5-6Kmph, Wind Direction: 81-88Degree.

Weekly cumulative Rainfall: 2.0mm

Agro-advisories of East Khasi hills for coming week

Main Crop/ Animal /Fisheries	Stage	Pest/ Diseases	Agricultural advisories
Sali paddy	Maturity	---	• Harvest mature crop and dry under sun properly • Drain out fields in case of crops starting maturity stage.
Khasi Mandarin	Fruiting & maturity		• Harvest mature fruits
Groundnut	Maturity		• Harvest the mature pods and dry them properly under direct sun light.
Potato	Vegetative		• Do earthing up where ever necessary • Apply water depending on the soil condition as rain has stopped.
Rapeseed/Mustard	Vegetative		• Carry out thinning to facilitate proper vegetative growth • Cover space between rows with rice straw mulch to conserve soil moisture.
Cabbage & Cauliflower (late varieties)	Seed sowing in nursery		• Prepare nursery for late cabbage varieties viz. Pusa Drum Head and late cauliflower viz. Meghalaya Local.
Other Winter vegetables	Nursery raising	Damping off	• To avoid damping off of seedlings, the seed beds should be drenched with 0.01% Captan or 4% Formalin solution before sowing. Seed should be treated with Captan or Bavistin @ 3 g per kg of seed (dry treatment) before sowing

N.B.

Suggestion: Contact nearby State Agril Staff or KVK staff for necessary help and suggestion.



INTEGRATED AGROMET ADVISORY SERVICE

ICAR Research Complex for NEH Region

Umroi Road, Umiam – 793 103 Meghalaya

☎: Telephone No. : 0364 2570276 (O) Fax: 0364 2570213/Email: iaasbarapani@yahoo.in

RC (AE)/30/2011/ Bulletin/October'2013/09 Dated: 29/10/2013

Agro Advisory Bulletin for the period 30th Oct – 3rd Nov 2013

Weather summery of the previous week	Weather forecast valid up to 3rd November, 2013
Max Temp: 23.0-25.0^{0}C, Min Temp: 13.0-15.0^{0}C, Wind Speed: 4-6kmph, Wind Direction: 51-73Degree and Rainfall: 10.0mm	The possibility of Rainfall is 3.0mm for the next five days. Max Temp: 23.0-25.0^{0}C, Min Temp: 13.0-15.0^{0}C, Cloud Cover: sky will be mainly clear i.e. 0-2Okta, Max RH: 89-93%, Min RH: 40-50%, Wind Speed: 5-6Kmph, Wind Direction: 51-56 Degree. ***Weekly cumulative rainfall : 3.0mm***

Agro-advisories of Jaintia hills for coming week

Main Crop/ Animal /Fisheries	Stage	Pest/ Diseases	Agricultural advisories
Sali paddy	Maturity	---	• Harvest mature crop and dry under sun properly • Drain out fields in case of crops starting maturity stage.
Khasi Mandarin	Fruiting & maturity		• Harvest mature fruits
Groundnut	Maturity		• Harvest the mature pods and dry them properly under direct sun light.
Potato	Vegetative		• Do earthing up where ever necessary • Apply water depending on the soil condition as rain has stopped.
Rapeseed/Mustard	Vegetative		• Carry out thinning to facilitate proper vegetative growth • Cover space between rows with rice straw mulch to conserve soil moisture.
Cabbage & Cauliflower (late varieties)	Seed sowing in nursery		• Prepare nursery for late cabbage varieties viz. Pusa Drum Head and late cauliflower viz. Meghalaya Local.
Other Winter vegetables	Nursery raising	Damping off	• To avoid damping off of seedlings, the seed beds should be drenched with 0.01% Captan or 4% Formalin solution before sowing. Seed should be treated with Captan or Bavistin @ 3 g per kg of seed (dry treatment) before sowing

N.B.

Suggestion: Contact nearby State Agril Staff or KVK staff for necessary help and suggestion.

INTEGRATED AGROMET ADVISORY SERVICE

ICAR Research Complex for NEH Region
Umroi Road, Umiam – 793 103 Meghalaya

☎: Telephone No. : 0364 2570276 (O) Fax: 0364 2570213/Email: iaasbarapani@yahoo.in

RC (AE)/30/2011/ Bulletin/October'2013/09 Dated: 29/10/2013

Agro Advisory Bulletin for the period 30th Oct – 3rd Nov 2013

Weather summery of the previous week	Weather forecast valid up to 3rd November, 2013
Rainfall: 10.0mm, Max and min temp varied between 26.0-28.0°C and 14.0-17.0°C respectively. The sky will be mainly cloudy *i.e.4-8*Okta, The wind speed: 3-5kmph, Wind direction: 98-117degree, Max RH: 96-99% and Min RH: 56-64%.	The possibility of Rainfall is 0.0mm for next five days. Max and min temp will be varied between 25.0-26.0°C and 13.0-16.0°C respectively. The sky will be mainly clear *i.e. 1-3*Okta; Relative humidity will be varied between 88-97% and 48-56% in the morning and afternoon respectively. The wind will be 4-5kmph. The wind will blow from variable direction at 109-121degree.

Weekly cumulative rainfall:0.0mm

Agro-advisories of Ri-Bhoi for coming week

Main Crop/ Animal /Fisheries	Stage	Pest/ Diseases	Agricultural advisories
Sali paddy	Maturity	---	• Harvest mature crop and dry under sun properly • Drain out fields in case of crops starting maturity stage.
Khasi Mandarin	Fruiting & maturity		• Harvest mature fruits
Groundnut	Maturity		• Harvest the mature pods and dry them properly under direct sun light.
Potato	Vegetative		• Do earthing up where ever necessary • Apply water depending on the soil condition as rain has stopped.
Rapeseed/Mustard	Vegetative		• Carry out thinning to facilitate proper vegetative growth • Cover space between rows with rice straw mulch to conserve soil moisture.
Cabbage & Cauliflower (late varieties)	Seed sowing in nursery		• Prepare nursery for late cabbage varieties viz. Pusa Drum Head and late cauliflower viz. Meghalaya Local.
Other Winter vegetables	Nursery raising	Damping off	• To avoid damping off of seedlings, the seed beds should be drenched with 0.01% Captan or 4% Formalin solution before sowing. Seed should be treated with Captan or Bavistin @ 3 g per kg of seed (dry treatment) before sowing

N.B.

Suggestion: Contact nearby State Agril Staff or KVK staff for necessary help and suggestion.

INTEGRATED AGROMET ADVISORY SERVICE

ICAR Research Complex for NEH Region

Umroi Road, Umiam – 793 103 Meghalaya

☎: Telephone No. : 0364 2570276 (O) Fax: 0364 2570213/Email: iaasbarapani@yahoo.in

RC (AE)/30/2011/ Bulletin/October'2013/09 Dated: 29/10/2013

Agro Advisory Bulletin for the period 30th Oct – 3rd Nov 2013

Weather summery of the previous week	Weather forecast valid up to 3rd November, 2013
Max Temp: 27.0-31.0°C, Min Temp: 19.0°C, Rainfall: 9.0mm, Wind speed: 4-6Kmph, Wind Direction: 71-92Degree.	The possibility of Rainfall is 0.0mm for the next five days. Max Temp: 29.0-30.0°C, Min Temp: 17.0-18.0°C, Cloud cover: sky will be clear i.e. 0 Okta, Max RH: 85-88%, Min RH: 51-53%, Wind Speed: 5-6Kmph and Wind Direction: 60-89Degree.

Weekly cumulative rainfall : 0.0mm

Agro-advisories of South Garo Hills for coming week

Main Crop/ Animal /Fisheries	Stage	Pest/ Diseases	Agricultural advisories
Sali paddy	Maturity	---	• Harvest mature crop and dry under sun properly • Drain out fields in case of crops starting maturity stage.
Khasi Mandarin	Fruiting & maturity		• Harvest mature fruits
Groundnut	Maturity		• Harvest the mature pods and dry them properly under direct sun light.
Potato	Vegetative		• Do earthing up where ever necessary • Apply water depending on the soil condition as rain has stopped.
Rapeseed/Mustard	Vegetative		• Carry out thinning to facilitate proper vegetative growth • Cover space between rows with rice straw mulch to conserve soil moisture.
Cabbage & Cauliflower (late varieties)	Seed sowing in nursery		• Prepare nursery for late cabbage varieties viz. Pusa Drum Head and late cauliflower viz. Meghalaya Local.
Other Winter vegetables	Nursery raising	Damping off	• To avoid damping off of seedlings, the seed beds should be drenched with 0.01% Captan or 4% Formalin solution before sowing. Seed should be treated with Captan or Bavistin @ 3 g per kg of seed (dry treatment) before sowing

N.B.

Suggestion: Contact nearby State Agril Staff or KVK staff for necessary help and suggestion.

INTEGRATED AGROMET ADVISORY SERVICE

ICAR Research Complex for NEH Region

Umroi Road, Umiam – 793 103 Meghalaya

☎: Telephone No. : 0364 2570276 (O) Fax: 0364 2570213/Email: iaasbarapani@yahoo.in

RC (AE)/30/2011/ Bulletin/October'2013/09 Dated: 29/10/2013

Agro Advisory Bulletin for the period 30th Oct – 3rd Nov 2013

Weather summery of the previous week	Weather forecast valid up to 3rd November, 2013
Max Temp: 27.0-30.0°C, Min Temp: 18.0-19.0°C, Wind Speed: 4-6Kmph and Wind Direction: 65-89 Degree and Rainfall: 23.0mm.	The possibility of Rainfall is 0.0mm for the next five days. Max Temp: 28.0-29.0°C, Min Temp: 16.0-18.0°C, Cloud cover: sky will be mainly clear i.e. 0-2Okta, Max RH: 84-91%, Min RH: 53-57%, Wind Speed: 5-6Kmph and Wind Direction: 48-91 Degree. ***Weekly cumulative rainfall : 0.0mm***

Agro-advisories of West Garo Hills for coming week

Main Crop/ Animal /Fisheries	Stage	Pest/ Diseases	Agricultural advisories
Sali paddy	Maturity	---	• Harvest mature crop and dry under sun properly • Drain out fields in case of crops starting maturity stage.
Khasi Mandarin	Fruiting & maturity		• Harvest mature fruits
Groundnut	Maturity		• Harvest the mature pods and dry them properly under direct sun light.
Potato	Vegetative		• Do earthing up where ever necessary • Apply water depending on the soil condition as rain has stopped.
Rapeseed/Mustard	Vegetative		• Carry out thinning to facilitate proper vegetative growth • Cover space between rows with rice straw mulch to conserve soil moisture.
Cabbage & Cauliflower (late varieties)	Seed sowing in nursery		• Prepare nursery for late cabbage varieties viz. Pusa Drum Head and late cauliflower viz. Meghalaya Local.
Other Winter vegetables	Nursery raising	Damping off	• To avoid damping off of seedlings, the seed beds should be drenched with 0.01% Captan or 4% Formalin solution before sowing. Seed should be treated with Captan or Bavistin @ 3 g per kg of seed (dry treatment) before sowing

N.B.

Suggestion: Contact nearby State Agril Staff or KVK staff for necessary help and suggestion.

INTEGRATED AGROMET ADVISORY SERVICE

ICAR Research Complex for NEH Region

Umroi Road, Umiam – 793 103 Meghalaya

☎: Telephone No. : 0364 2570276 (O) Fax: 0364 2570213/Email: iaasbarapani@yahoo.in

RC (AE)/30/2011/ Bulletin/October'2013/09 Dated: 29/10/2013

Agro Advisory Bulletin for the period 30th Oct – 3rd Nov 2013

Weather summery of the previous week	Weather forecast valid up to 3rd November, 2013
Max Temp: 23.0-25.0°C, Min Temp: 13.0-15.0°C, Wind Speed: 4-6Kmph, Wind Direction: 77-91Degree, Rainfall: 10.0mm.	The possibility of Rainfall is 3.0mm for next five days. Max Temp: 22.0-23.0°C, Min Temp: 13.0-15.0°C, Cloud cover: sky will be mainly clear i.e. 0-2Okta, Max RH: 86-88%, Min RH: 47-50%, Wind Speed: 4-5Kmph and Wind Direction: 74-84Degree. ***Weekly cumulative rainfall :3.0mm***

Agro-advisories of West Khasi Hills for coming week

Main Crop/ Animal /Fisheries	Stage	Pest/ Diseases	Agricultural advisories
Sali paddy	Maturity	---	• Harvest mature crop and dry under sun properly • Drain out fields in case of crops starting maturity stage.
Khasi Mandarin	Fruiting & maturity		• Harvest mature fruits
Groundnut	Maturity		• Harvest the mature pods and dry them properly under direct sun light.
Potato	Vegetative		• Do earthing up where ever necessary • Apply water depending on the soil condition as rain has stopped.
Rapeseed/Mustard	Vegetative		• Carry out thinning to facilitate proper vegetative growth • Cover space between rows with rice straw mulch to conserve soil moisture.
Cabbage & Cauliflower (late varieties)	Seed sowing in nursery		• Prepare nursery for late cabbage varieties viz. Pusa Drum Head and late cauliflower viz. Meghalaya Local.
Other Winter vegetables	Nursery raising	Damping off	• To avoid damping off of seedlings, the seed beds should be drenched with 0.01% Captan or 4% Formalin solution before sowing. Seed should be treated with Captan or Bavistin @ 3 g per kg of seed (dry treatment) before sowing

N.B.

Suggestion: Contact nearby State Agril Staff or KVK staff for necessary help and suggestion.