



GRAMIN KRISHI MAUSAM SEWA
ICAR RESEARCH COMPLEX FOR NEH REGION
Mizoram Centre, Kolasib- 796081, MIZORAM
AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB
(Collaborating Department, KVK)



Name of the AMFU- AMFU, Kolasib **Period- 13th February – 14th February, 2018**

Crop Information No: - 151/2018/CIN/English **Date of issue: 12th February, 2018**

Crop information/sowing status for AMFU's
(Should be sent biweekly on every Monday and Thursday)

AMFU NAME: AMFU, Kolasib		STATE: Mizoram		DATE: 12.02.2018	
Name of TO : Samik Chowdhury			Contact number : 9862879062		
Name of districts	Major Post Kharif crops	Sowing status (whether sowing started/not started/completed)	whether sowing is undertaken within the normal sowing window	Whether any stress condition existing	
1. Aizawl	1. Greengram, Blackgram and soybean	Pod formation stage	Normal sowing window	Water deficit	
	2. Pea, Lentil and Mustard	Pod and siliqua stage	Normal sowing window	Water deficit	
	3. Radish	Harvesting stage	Normal sowing window	Water deficit	
	4. Brinjal	Fruiting to harvesting stage	Normal sowing window	Water deficit	
	5. Chilli	Fruiting to harvesting stage	Normal sowing window	Water deficit	
	6. Early crucifer vegetable	Harvesting stage	Normal sowing window	Water deficit	
	7. Tomato	Harvesting stage	Normal sowing window	Water deficit	
	8. Coffee	Berry (Fruit) harvesting stage	Normal sowing window	Water deficit	
	9. Rubber	Vegetative stage	Normal sowing window	Water deficit	
	10. Ginger and turmeric	Harvesting stage	Normal sowing window	Water deficit	
	11. Mandarin and Acid lime	Flushing stage	Normal sowing window	Water deficit	
	12. Strawberry	Harvesting stage	Normal sowing window	Water deficit	
2. Champhai	1. Greengram, Blackgram and soybean	Pod formation stage	Normal sowing window	Water deficit	
	2. Pea, Lentil and Mustard	Pod and siliqua stage	Normal sowing window	Water deficit	
	3. Radish	Harvesting stage	Normal sowing window	Water deficit	
	4. Brinjal	Fruiting to harvesting stage	Normal sowing window	Water deficit	
	5. Chilli	Fruiting to harvesting stage	Normal sowing window	Water deficit	
	6. Early crucifer vegetable	Harvesting stage	Normal sowing window	Water deficit	
	7. Tomato	Harvesting stage	Normal sowing window	Water deficit	
	8. Ginger and turmeric	Vegetative stage	Normal sowing window	Water deficit	
	9. Mandarin and	Flushing stage	Normal sowing	Water deficit	



GRAMIN KRISHI MAUSAM SEWA
ICAR RESEARCH COMPLEX FOR NEH REGION
Mizoram Centre, Kolasib- 796081, MIZORAM
AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB
(Collaborating Department, KVK)



	Acid lime		window	
	10. Coffee	Fruit harvesting stage	Normal sowing window	Water deficit
	11. Rubber	Vegetative stage	Normal sowing window	Water deficit
	12. Strawberry	Harvesting stage	Normal sowing window	Water deficit
3. Kolasib				
	1. Greengram, Blackgram and soybean	Pod formation stage	Normal sowing window	Water deficit
	2. Pea, Lentil and Mustard	Pod and siliqua stage	Normal sowing window	Water deficit
	3. Radish	Harvesting stage	Normal sowing window	Water deficit
	4. Brinjal	Fruiting to harvesting stage	Normal sowing window	Water deficit
	5. Chilli	Fruiting to harvesting stage	Normal sowing window	Water deficit
	6. Early crucifer vegetable	Harvesting stage	Normal sowing window	Water deficit
	7. Tomato	Harvesting stage	Normal sowing window	Water deficit
	8. Coffee	Berry (Fruit) harvesting stage	Normal sowing window	Water deficit
	9. Rubber	Vegetative stage	Normal sowing window	Water deficit
	10. Ginger and turmeric	Harvesting stage	Normal sowing window	Water deficit
	11. Mandarin and Acid lime	Flushing stage	Normal sowing window	Water deficit
	12. Strawberry	Harvesting stage	Normal sowing window	Water deficit
4. Lawngtlai				
	1. Greengram, Blackgram and soybean	Pod formation stage	Normal sowing window	Water deficit
	2. Pea, Lentil and Mustard	Pod and siliqua stage	Normal sowing window	Water deficit
	3. Radish	Harvesting stage	Normal sowing window	Water deficit
	4. Brinjal	Fruiting to harvesting stage	Normal sowing window	Water deficit
	5. Chilli	Fruiting to harvesting stage	Normal sowing window	Water deficit
	6. Early crucifer vegetable	Harvesting stage	Normal sowing window	Water deficit
	7. Tomato	Harvesting stage	Normal sowing window	Water deficit
	8. Coffee	Berry (Fruit) harvesting stage	Normal sowing window	Water deficit
	9. Rubber	Vegetative stage	Normal sowing window	Water deficit
	10. Ginger and turmeric	Harvesting stage	Normal sowing window	Water deficit
	11. Mandarin and Acid lime	Flushing stage	Normal sowing window	Water deficit
	12. Strawberry	Harvesting stage	Normal sowing	Water deficit



GRAMIN KRISHI MAUSAM SEWA
ICAR RESEARCH COMPLEX FOR NEH REGION
Mizoram Centre, Kolasib- 796081, MIZORAM
AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB
(Collaborating Department, KVK)



			window	
5. Lunglei	1. Greengram, Blackgram and soybean	Pod formation stage	Normal sowing window	Water deficit
	2. Pea, Lentil and Mustard	Pod and siliqua stage	Normal sowing window	Water deficit
	3. Radish	Harvesting stage	Normal sowing window	Water deficit
	4. Brinjal	Fruiting to harvesting stage	Normal sowing window	Water deficit
	5. Chilli	Fruiting to harvesting stage	Normal sowing window	Water deficit
	6. Early crucifer vegetable	Harvesting stage	Normal sowing window	Water deficit
	7. Tomato	Harvesting stage	Normal sowing window	Water deficit
	8. Ginger and turmeric	Vegetative stage	Normal sowing window	Water deficit
	9. Mandarin and Acid lime	Flushing stage	Normal sowing window	Water deficit
	10. Coffee	Fruit harvesting stage	Normal sowing window	Water deficit
	11. Rubber	Vegetative stage	Normal sowing window	Water deficit
	12. Strawberry	Harvesting stage	Normal sowing window	Water deficit
6. Mamit	1. Greengram, Blackgram and soybean	Pod formation stage	Normal sowing window	Water deficit
	2. Pea, Lentil and Mustard	Pod and siliqua stage	Normal sowing window	Water deficit
	3. Radish	Harvesting stage	Normal sowing window	Water deficit
	4. Brinjal	Fruiting to harvesting stage	Normal sowing window	Water deficit
	5. Chilli	Fruiting to harvesting stage	Normal sowing window	Water deficit
	6. Early crucifer vegetable	Harvesting stage	Normal sowing window	Water deficit
	7. Tomato	Harvesting stage	Normal sowing window	Water deficit
	8. Coffee	Berry (Fruit) harvesting stage	Normal sowing window	Water deficit
	9. Rubber	Vegetative stage	Normal sowing window	Water deficit
	10. Ginger and turmeric	Harvesting stage	Normal sowing window	Water deficit
	11. Mandarin and Acid lime	Flushing stage	Normal sowing window	Water deficit
	12. Strawberry	Harvesting stage	Normal sowing window	Water deficit
7. Saiha	1. Greengram, Blackgram and soybean	Pod formation stage	Normal sowing window	Water deficit
	2. Pea, Lentil and	Pod and siliqua	Normal sowing	Water deficit



GRAMIN KRISHI MAUSAM SEWA
ICAR RESEARCH COMPLEX FOR NEH REGION
Mizoram Centre, Kolasib- 796081, MIZORAM
AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB
(Collaborating Department, KVK)



	Mustard	stage	window	
	3. Radish	Harvesting stage	Normal sowing window	Water deficit
	4. Brinjal	Fruiting to harvesting stage	Normal sowing window	Water deficit
	5. Chilli	Fruiting to harvesting stage	Normal sowing window	Water deficit
	6. Early crucifer vegetable	Harvesting stage	Normal sowing window	Water deficit
	7. Tomato	Harvesting stage	Normal sowing window	Water deficit
	8. Ginger and turmeric	Vegetative stage	Normal sowing window	Water deficit
	9. Mandarin and Acid lime	Flushing stage	Normal sowing window	Water deficit
	10. Coffee	Fruit harvesting stage	Normal sowing window	Water deficit
	11. Rubber	Vegetative stage	Normal sowing window	Water deficit
	12. Strawberry	Harvesting stage	Normal sowing window	Water deficit
8. Serchhip	1. Greengram, Blackgram and soybean	Pod formation stage	Normal sowing window	Water deficit
	2. Pea, Lentil and Mustard	Pod and siliqua stage	Normal sowing window	Water deficit
	3. Radish	Harvesting stage	Normal sowing window	Water deficit
	4. Brinjal	Fruiting to harvesting stage	Normal sowing window	Water deficit
	5. Chilli	Fruiting to harvesting stage	Normal sowing window	Water deficit
	6. Early crucifer vegetable	Harvesting stage	Normal sowing window	Water deficit
	7. Tomato	Harvesting stage	Normal sowing window	Water deficit
	8. Coffee	Berry (Fruit) harvesting stage	Normal sowing window	Water deficit
	9. Rubber	Vegetative stage	Normal sowing window	Water deficit
	10. Ginger and turmeric	Harvesting stage	Normal sowing window	Water deficit
	11. Mandarin and Acid lime	Flushing stage	Normal sowing window	Water deficit
	12. Strawberry	Harvesting stage	Normal sowing window	Water deficit



GRAMIN KRISHI MAUSAM SEWA
ICAR RESEARCH COMPLEX FOR NEH REGION
Mizoram Centre, Kolasib- 796081, MIZORAM
AGRICULTURE METEOROLOGICAL FIELD UNIT (AMFU)-KOLASIB
(Collaborating Department, KVK)



Collaborating Department (KVK):

Name of the KVK	Programme Coordinator Name and Designation	KVK Email Id	Phone no/ Mobile no
KVK Lunglei	: Dr. Lalmuanzovi Head & Sr. Scientist	kvkhnahthial@gmail.com	9862803750 9436154614
KVK, Kolasib	: Mr. Lalrosamga Khiangte Head & Sr. Scientist	kvkkolasib@gmail.com	9436152440
KVK, Serchhip	: Mr. K. Laltlanmawia Head & Sr. Scientist	kvkserchhip@gmail.com	9436146115 9615389293
KVK, Champhai	: Mrs. Lalrinawmi Renthlei Head & Sr. Scientist	kvkkhawzawl@gmail.com	9436159788
KVK, Lawngtlai	: Dr. Michel Lallawmkimi Head & Sr. Scientist	kvklawntlai@gmail.com	9436155858
KVK, Saiha	: Dr. Vanlalhruaia Hnampe Head & Sr. Scientist	kvksaiha@gmail.com	8974656509
KVK, Mamit	: Dr. Samuel Lalliansanga Head & Sr. Scientist	kvkmamit@gmail.com	9436147625
KVK, Aizawl	: Dr. K. P. Chaudhary Head & Sr. Scientist	Kpchy@rediffmail.com kvkaizawl@rediffmail.com	9436351669

Compiled by

Dr. S.B. Singh	: Joint Director	basantasinghsoibam@rediffmail.com
Dr. Saurav Saha	: Scientist (Agril. Physics)	sauravs.saha@gmail.com
Mr. Samik Chowdhury	: Technical Officer	samikchowdhury33@gmail.com
Miss. J. Vanlalhluzuali	: Scientist (Agril. Extension)	mamijinlong@gmail.com

Note:

- While selecting major crop, concerned state department reports should be mentioned as per priority with respect to major crops for each district.
- In case of other crops, area under cultivation should be considered.
- This form should send to Agrimet office, Pune biweekly (on Monday and Thursday).
- Any specific remark regarding crop, pest and disease should be mentioned as per requirement.
- Status of crop (normal/water deficit/flooded) should be mentioned as per weather condition.